



## SANGO Advanced with SEGO comfort

**Version: 2**

**Valid from: 01/01/2024**

**Valid until: new version or latest 31/12/2024**

Type: Order Quote

Date:

**Standard configuration includes the following options:**

- Front, rear or mid wheel drive chassis choice
- 6 km/h high torque 4 pole motors
- 60Ah batteries
- 8A charger
- 14" drive wheels and 8" castors, air
- Manual, tool adjustable backrest recline
- Manual, tool adjustable seat tilt
- VR2 drive only joystick, fixed joystick bracket
- 90A power module
- 41cm seat to floor height, tool adjustable
- No seat cushion
- No backrest cushion
- Swingaway legrests with calfstrap
- Angle adjustable footplates
- Flip up armrests with PU armpads
- Lapbelt

Dealer Name:

Client Reference:

Purchase Order:

Email:

Delivery Address:

Estimated total chair cost based on the below selections:

\*Options with POA require a formal quote before ordering

DRIVE BASE		£
1000010	SANGO advanced	6,495
Drive Type		
6000001	Front Wheel Drive (FWD)	0
6000002	Rear Wheel Drive (RWD)	0
6000003	Mid Wheel Drive (MWD) 6 Wheel	0
6000327	Mid Wheel Drive (MWD) 5 Wheel	0
Maximum Speed		
6000005	6 km/h HT motor	STD
6000007	10 km/h HT motor	(FWD: R-net Gyro module mandatory) 435
6000008	12.5 km/h HT motor	(Only with R-net, 120A power module recommended) 545 (Not for FWD)(Not with 10" solid tyres)
Frame Colour		
6000010	Red metallic, glossy	0
6000011	Blue, matte	0
6000012	Gold, matte	0
6000383	Black, glossy	0
6000440	White, glossy	0
6000013	Different frame colour	(Specify RAL colour code required) 495
	Different shroud colour	(Specify RAL colour code required) POA
	Hydro-dipped shroud pattern	(Detail Hydro-dipped pattern required in notes section) POA

<b>Batteries &amp; Charger</b>			
6000015	Batteries 60Ah		STD
6000016	Batteries 76Ah	(No increase in seat to floor height)(Not with DAHL preparation)	185
6000295	Batteries 100Ah	(No increase in seat to floor height)(Not with DAHL preparation)	515
6000017	Charger 24V - 8A		STD
6000018	Charger 24V - 12A		245

## WHEELS £

<b>Wheel Size</b>			
6000019	12" drive wheels with 8" castors	FWD/RWD	0
6000020	14" drive wheels with 9" castors	FWD/RWD	0
6000021	14" drive wheels with 10" castors	FWD/RWD	(Seat height +2.5cm) 85
6000022	12" drive wheels with 7" castors	MWD	0
6000023	14" drive wheels with 8" castors	MWD	0
6000445	16" drive wheels with 10" castors	FWD/RWD	(Seat height +2.5cm) 395
6000292	16" drive wheels with 9" and 8" castors	MWD	(Seat height +2.5cm) 455

<b>Wheel / Tyre type</b>			
6000024	Castor wheels, air	FWD/RWD	STD
6000025	Castor and support wheels, air	MWD	(7" always solid) 0
6000026	Castor wheels, solid	FWD/RWD	(10" not with 12.5 km/h) 0
6000027	Castor and support wheels, solid	MWD	0
6000028	Drive wheels, air		STD
6000029	Drive wheels, solid		0
6000450	8" suspended castor forks		(MWD only) 435
6000278	9" suspended castor forks		435
6000479	Powered castor lock		(Not for rear castors on MWD) 635
6000480	Sprung loaded anti tip wheels		(Not for MWD) 285
6000539	Protector wheels, pair 125mm		185

<b>Tyres</b>			
6000030	Black		STD
6000031	Grey		0

<b>Mudguards</b>			
6000032	Mudguards for 9" castor wheels	(Not with suspended castor forks)(Request special for 10" castors)	95
6000033	Mudguards for 14" drive wheels		115
6000535	Mudguards for 16" drive wheels		245

## LIGHTING & POWERED OPTIONS £

<b>Lighting</b>		<b>Lights must be selected if 10 km/h or 12.5 km/h motors are chosen</b>	
6000040	LED lights and indicators		395

<b>Seat adjustments</b>			
6000034	Powered backrest recline 30° (120°)	(1 actuator)	525
6000257	Powered backrest recline 45° (135°)	(1 actuator)	655
6000483	Biomechanical backrest recline 45° (135°)	(1 actuator)	1,245
6000281	Biomechanical backrest recline 73° (163°)	(Flip up armrests only)(1 actuator)	1,955
6000035	Powered seat tilt 45°	(No increase in seat to floor height)(1 actuator)	1,325
6000242	Powered seat tilt 52°	(No increase in seat to floor height)(1 actuator)	1,885
6000036	Powered seat lift 30cm and seat tilt 45°	(1cm increase in seat to floor height)(2 actuators)	2,095
6000243	Powered seat lift 30cm and seat tilt 52°	(1cm increase in seat to floor height)(2 actuators)	2,655
6000426	5° anterior tilt on above chosen tilt or lift tilt	(3cm increase in seat to floor height at 0°)	175
6000288	Catapult' seat, transfer assist, _____ cm seat depth	(Minimum seat to floor height of 42.5cm)(1 actuator)	1,655

<b>Centre mount legrest (including calf supports)</b>		
6000038	Powered centre mount legrest, built in length compensation	1,425
	(Restrictions for RWD)(Angle adjustable footplate)(1 actuator)	
6000039	Powered centre mount Transfer legrest, built in length compensation	1,755
	(Restrictions for RWD)(Footplate can be powered to the floor)(2 actuators)	
6000422	Powered centre mount Transfer legrest, separate length and angle adjustment	1,755
	(Restrictions for RWD)(Footplate can be powered to the floor)(2 actuators)	
6000460	Width adjustable footplate, small (19-26cm)	345
6000461	Width adjustable footplate, large (25-33cm)	345
6000462	Foot fixation belts	75
	(only for width adjustable footplate)	
6000415	Footplate foam layer	55
	(5mm high density foam / cellular rubber)(Standard centre mount footplate only)	
6000411	Split footplates	225
	(Standard centre mount footplate only)	
	Powered flip up footplate for centre mount legrest	POA

**LIGHTING & POWERED OPTIONS (Continued)****£**

<b>Swingaway legrests (including calf supports)</b>		
6000037	Powered articulating legrests	1,025
	(6°-70°, angle adjustable footplates and PU calf plates)(2 actuators)	
6000135	Calf plates upholstered instead of PU	75
6000136	Kneepad, right	65
6000137	Kneepad, left	65
	Single footplate for individual legrests	POA

**CONTROLS****£**

<b>VR2 System</b>		<b>Maximum 2 actuators</b>
<b>Joystick modules</b>		
6000045	VR2 Drive only	STD
6000046	VR2 Lights	95
6000047	VR2 Seats & lights	165
<b>Mounting of the joystick module</b>		
6000041	Fixed bracket, right	STD
6000042	Fixed bracket, left	0
6000043	Swingaway bracket, right	85
6000044	Swingaway bracket, left	85
6000625	Mounting of the joystick module, swing-away bracket, right	185
6000626	Mounting of the joystick module, swing-away bracket, left	185
6000549	Mounting of the joystick module, drop-down bracket, right	375
6000550	Mounting of the joystick module, drop-down bracket, left	375
	Powered swingaway joystick mount	POA
<b>Power Module</b>		
6000049	90A Power module	STD
<b>Attendant control</b>		
6000050	VR2 + attendant control, right	435
	(Also choose required joystick module above)	
6000051	VR2 + attendant control, left	435
	(Also choose required joystick module above)	
<b>R-net System</b>		<b>An R-net joystick must be chosen if not selecting VR2</b>
<b>Joystick modules</b>		
	(All LED and LCD joystick modules below can operate 6 actuators and lights)	
6000052	R-net LED	525
	(If no power module is selected, 90A will be chosen)	
6000053	R-net LCD-1	665
	(CJSM1)(2 jack sockets)	
6000055	R-net LCD-2, <b>infra-red</b>	825
	(CJSM2)(2 jack sockets)	
6000057	R-net LCD-2, <b>infra-red</b> and <b>bluetooth</b>	1,025
	(CJSM2)(2 jack sockets)	
6000434	R-net LCD-1, <b>tray</b> control	1,985
	(CJSM1)	
6000056	HD kit for R-net LCD-2	1,045

<b>Mounting of the joystick module</b>			
6000041	Fixed bracket, right		0
6000042	Fixed bracket, left		0
6000043	Swingaway bracket, right		85
6000044	Swingaway bracket, left		85
6000163	Tray control bracket mounting, right		0
6000164	Tray control bracket mounting, left		0
6000625	Mounting of the joystick module, swing-away bracket, right		185
6000626	Mounting of the joystick module, swing-away bracket, left		185
6000549	Mounting of the joystick module, drop-down bracket, right		375
6000550	Mounting of the joystick module, drop-down bracket, left		375
	Powered swingaway joystick mount		POA
<b>Power Modules</b>			
6000060	90A Power module		STD
6000061	120A Power module		245
6000062	DAC box, direct actuator control, button, jack plug	(Only with R-net LCD joystick modules)	455
6000362	DAC box, direct actuator control, toggle, jack plug	(Only with R-net LCD joystick modules)	455
6000629	Mounting of the DAC box, with the joystick module		0
6000630	Mounting of the DAC box, with Scootcontrol		0
6000063	Gyro module		395
<b>Attendant control</b>			
6000067	R-net + attendant control, right	(Also choose required joystick module above)	435
6000068	R-net + attendant control, left	(Also choose required joystick module above)	435
6000384	R-net Scootcontrol attendant steer (as part of dual control system)		2,995
	R-net Scootcontrol attendant steer (as attendant only system)		2,995
	(Also choose 6000062 or 6000362 DAC box)(Also choose 6000392 external charge socket)		
	R-net Scootcontrol attendant steer mouted on backrest frame	(Height and angle adjustable)	
	R-net Scootcontrol attendant steer mounted on headrest bracket	(Height adjustable)	
6000230	R-net joystick module mounted as attendant control, right	(Mounted on backrest frame)	85
6000231	R-net joystick module mounted as attendant control, left	(Mounted on backrest frame)	85
<b>Other R-net options</b>			
<b>Joystick knobs</b>			
6000074	Mushroom knob		75
6000075	Ball mini, $\varnothing$ 32mm		75
6000416	Golf ball, $\varnothing$ 43mm		75
6000387	Foam ball, $\varnothing$ 45mm		75
6000076	Soft foam ball, $\varnothing$ 70mm		75
6000077	Stick joystick		75
6000078	T-grip		75
6000443	U-grip, vertical, small	(6cm wide)	95
6000079	U-grip, vertical, large	(10.5cm wide)	95
6000444	U-grip, horizontal, small	(8cm wide)	95
6000080	U-grip, horizontal, large	(10cm wide)	95
6000478	Dual USB charger, 2 x 2.5A		295
6000392	External charging socket	(Included when selecting tray control)	215
6000393	System locking plug	(Anti-theft)	65

SEATS			£
<b>Seat height</b>		<b>(Top of seat frame to floor in cm with 14" drive wheels and 0° tilt)</b> <b>(1.25cm reduction with 12" drive wheels)(1cm increase with lift/tilt)</b>	
6000085	39cm		0
6000086	41cm		STD
6000087	42cm		0
6000324	43cm		0
6000088	44cm		0
6000325	45cm		0
6000089	46cm		0
6000090	48cm		0
<b>Seat cushion size</b>			
6000184	Width 42cm		0
6000185	Width 44cm		0
6000186	Width 46cm		STD
6000187	Width 48cm		0
6000188	Width 50cm		0
6000189	Width 52cm		0
6000190	Width 54cm		135
6000191	Depth 48cm		STD
6000192	Depth 55cm		0
6000091	Different seat cushion size	<b>(Specify required sizes)</b>	275
<b>Seat cushion, integrated wooden base</b>		<b>Upholstery</b>	
6000256	No seat cushion		<b>(Seat frame only)</b> STD
6000092	Contour	Vinyl	95
6000094	Contour, partially strapped	Air mesh	215
6000096	Anatomic formed	Air mesh	<b>(partially strapped)</b> 305
6000098	Anatomic formed visco	Air mesh	<b>(partially memory foam &amp; webbed)</b> 355
<b>Seat cushion foam, velcro base</b>		<b>Upholstery</b>	<b>Also select metal seat plate or seat board</b>
6000097	Anatomic formed	Air mesh	305
6000099	Anatomic formed visco	Air mesh	<b>(partially memory foam)</b> 355
<b>Seat plate and boards</b>		<b>Upholstery</b>	
6000282	Metal seat plate, depth 45cm	Metal	<b>(not with catapult seat)</b> 0
6000101	Seat board	Vinyl	0
6000103	Seat board, partially strapped	Vinyl	115
6000104	Threshold, front	Vinyl	<b>(Upholstered, 5cm height)</b> 50
6000105	Threshold, rear	Vinyl	<b>(Upholstered, 5cm height)</b> 50
6000106	Acrylic threshold, rear	Acrylic	<b>(depth adjustable, 5cm height)</b> 50

SEATS (continued)			£
<b>Alternative upholstery</b>			
6000107	Air mesh instead of vinyl		95
6000108	Stretch rubber instead of air mesh		45
<b>Alternative Seating</b>			
	Recaro seating (specify Recaro seating type)		POA
<b>Seat accessories</b>			
6000110	Thigh support upholstered small, set	<b>(not with catapult seat)(22 x 11cm LxH)</b>	445
6000111	Thigh support upholstered large, set	<b>(not with catapult seat)(36 x 13cm LxH)</b>	475
6000112	Multi thigh support upholstered small, set	<b>(not with catapult seat)(22 x 11cm LxH)</b>	505
6000113	Multi thigh support upholstered large, set	<b>(not with catapult seat)(36 x 13cm LxH)</b>	535
6000232	Acrylic shield instead of upholstered	<b>(not with multi thigh) (Also choose thigh support 6000110 or 6000111)</b>	0

<b>BACKRESTS</b>		<b>£</b>
<b>Third party backrest frame</b>		
6000202	Tube distance 40cm	0
6000314	Tube distance 48cm	(only with detachable armrests) 175
<b>Backrest cushion size</b>		
6000193	Width 42cm	0
6000194	Width 44cm	0
6000195	Width 46cm	STD
6000196	Width 48cm	0
6000197	Width 50cm	0
6000198	Width 52cm	0
6000199	Width 54cm	135
6000200	Height 50cm	STD
6000201	Height 57cm	0
6000115	Different backrest cushion size	(Specify required sizes) 275
<b>Backrest cushion position</b>		
6000423	Low	(Mounting 40mm lower) 0
6000424	Standard	(Mounting in standard position) STD
6000425	High	(Mounting 40mm higher) 0
<b>Backrest cushion type</b>		<b>Upholstery</b>
6000212	No backrest cushion	(Backrest frame only) STD
6000116	Contour	Vinyl 105
6000117	Deep contour	Air mesh (Width adj built in laterals) 145
6000118	Deep contour, <b>vertical</b>	Air mesh (Vertical elastic straps & width adj built in laterals) 235
6000119	Deep contour, <b>horizontal</b>	Air mesh (Horizontal tension adj straps & width adj built in laterals) 275
6000120	Deep contour, <b>Flex</b>	Air mesh (Horizontal tension adj straps & width adj built in laterals) 365
6000121	<b>Extra</b> deep contour	Air mesh (Horizontal tension adj straps & width adj built in laterals) 385
6000122	<b>Extra</b> deep contour, <b>Flex</b>	Air mesh (Horizontal tension adj straps & width adj built in laterals) 425
<b>Alternative upholstery</b>		
6000123	Air mesh instead of vinyl	105
6000124	Stretch rubber instead of air mesh	65
<b>Backrest accessories</b>		<b>Upholstery</b>
6000126	Thoracic support, adjustable, right	(Stealth 18 x 13 DxH)(Request extra link if with deep contour backrest) 375
6000127	Thoracic support, adjustable, left	(Stealth 18 x 13 DxH)(Request extra link if with deep contour backrest) 375
6000128	Manual, gas spring adjustable recline	305
6000129	Folding backrest	185
<b>MANUAL LEGRESTS</b>		<b>For powered legrests see Powered options and lighting section</b>
6000361	No legrests	0
<b>Centre mount legrest</b>		
6000130	Centre mount legrest, angle and height adjustable	(Angle adjustment restricted for RWD) 105
<b>Centre mount legrest accessories</b>		
6000460	Width adjustable footplate, small (19-26cm)	(Replaces standard centre mount footplate) 345
6000461	Width adjustable footplate, large (25-33cm)	(Replaces standard centre mount footplate) 345
6000462	Foot fixation belts	(only for width adjustable footplate) 75
6000415	Footplate foam layer	(5mm high density foam / cellular rubber)(Standard centre mount footplate only) 55
6000411	Split footplates	(Standard centre mount footplate only) 225
6000131	Calf supports	185
<b>Swing away legrests</b>		
6000289	Standard footrests, calf strap	(Angle adjustable footplates) STD
6000133	Standard footrests, depth adj PU calfplates	(Angle adjustable footplates) 185
6000134	Angle adjustable footrests, depth adj PU calfplates	(6°-70° gas spring operated)(Angle adjustable footplates) 345
	Single footplate for individual legrests	POA

Swing away legrests accessories		
6000135	Calfplates upholstered instead of PU	75
6000136	Kneepad, right	65
6000137	Kneepad, left	65
6000142	Amputation support, right	165
6000143	Amputation support, left	165

## ARMRESTS

£

Armrests		
6000375	Detachable	(Includes side shields)(Angle & height adjustable) 125
6000145	Flip up	(Angle & height adjustable) STD
6000377	40mm extra height adjustment for flip up armrests, set	65
6000545	Locking mechanism, up and down	(Flip ups Only) POA
6000546	Locking mechanism, up and down position, left	(Flip ups Only) POA

Armpads	Upholstery	
6000146	PU 34cm, right	STD
6000147	PU 34cm, left	STD
6000148	Upholstered, 30cm, right	75
6000149	Upholstered, 30cm, left	75
6000150	Upholstered, 40cm, right	85
6000151	Upholstered, 40cm, left	85
6000152	P-shape, upholstered, 40cm, right	(Only with detachable armrests) 105
6000153	P-shape, upholstered, 40cm, left	(Only with detachable armrests) 105

### Alternative upholstery

6000353	Air mesh instead of vinyl	75
---------	---------------------------	----

### Hemiplegic armpads

6000485	Hemi armpad, hand part flat, right	PU	(Length 465mm, includes swivel mounting)	265
6000486	Hemi armpad, hand part flat, left	PU	(Length 465mm, includes swivel mounting)	265
6000565	Hemi armpad with handpalm support, right		(Length 477mm, includes swivel mounting)	285
6000566	Hemi armpad with handpalm support, centre		(Length 520mm, includes swivel mounting)	300
6000567	Hemi armpad with handpalm support, left		(Length 477mm, includes swivel mounting)	285
6000487	Hemi 70mm extension	PU		85

## HEADRESTS

£

### Headrest metal bracket

6000154	Height and depth adjustable	135
6000155	Height, depth and width adjustable	155

### Headrest cushion

### Upholstery

6000157	PU small	PU	115
6000158	Padded butterfly shape	Vinyl	125
6000159	Padded flexible, small	Vinyl	155
6000160	Padded flexible, large	Vinyl	135

### Alternative upholstery

6000354	Air mesh instead of vinyl	75
---------	---------------------------	----

## TRAYS

£

### Acrylic tray

6000161	Recess on joystick side	(Mounted on opposite side to the joystick module)	335
	Full tray, no recess		POA
6000162	Hemi tray	(Half tray)(Mounted on opposite side to the joystick module)	275

### Tray accessories

6000166	Raised edge, acrylic, front	65
6000167	Raised edge, acrylic, right	65
6000168	Raised edge, acrylic, left	65

ACCESSORIES		£
6000169	Lapbelt, standard, 1.90m	STD
6000385	Backwards extended & higher bracket for lapbelt standard	55
6000386	Lapbelt, automatic roll-up, 1.35m, right	(Roll-up side) 195
6000394	Lapbelt, automatic roll-up, 1.35m, left	(Roll-up side) 195
<b>For more positioning options see DIETZ Mobility UK - Bodypoint order form</b>		
6000441	Armrest bag, right	(30 x 20 x 5cm) 45
6000442	Armrest bag, left	(30 x 20 x 5cm) 45
<b>Mirror on right hand side must be selected if 10 km/h or 12.5 km/h motors are chosen</b>		
6000298	Mirror on right hand side	65
6000172	Mirror on left hand side	65
6000173	Cane/crutch holder, right hand side	(For 2 canes / crutches) 75
6000352	Cane/crutch holder, left hand side	(For 2 canes / crutches) 75
6000174	Kerb climber	(Only with RWD)(Not with centre mount legrest) 265
	Q-Straint QLK150 docking system	POA
6000538	DAHL car docking preparation including 5 Dahl nuts	495
6000363	DAHL car docking preparation, including DAHL lock plate	(Not with 78Ah or 100Ah batteries) 625
6000176	Bag / backpack hooks	(Mounted on headrest bracket) 125
6000410	Bag/backpack bracket (2 hooks), on backrest tube	125
RD1.11	Phone holder, multi adjustable, armrest mounted	POA
RD2.11	Phone holder, multi adjustable, side rail mounted	POA
RD3.11	Phone holder, multi adjustable, tray mounted	POA
	Tablet mount, multi adjustable, side rail mounted (specify tablet type)	POA
6000489	Wheelchair cover	245
8000046	Hand warmer	(R-Net required) 1,215
8000047	Hand warmer dome, 2-hands hood	(R-Net required) 535
	Wireless stop	POA
	Red button stop, mounted on backrest frame	POA



## BESPOKE OPTIONS / SPECIALS

Please add clear and detailed information for the bespoke option(s) required, referencing any additional pictures, drawings etc. that will be supplied with the order form

Click to insert pictures:

SPECIAL CONTROLS (R-net only)		£
<b>Omni Module</b>		
6000070	Mounted on fixed bracket, right	1,125
6000071	Mounted on fixed bracket, left	1,125
6000072	Mounted on swing-away bracket, right	1,205
6000073	Mounted on swing-away bracket, left	1,205
6000627	Mounting of the OMNI module display, swing-away bracket, long pin, right	185
6000628	Mounting of the OMNI module display, swing-away bracket, long pin, left	185
RD1.12	Fixed stem Omni mount, multi adjustable, armrest mounted	POA
RD2.12	Fixed stem Omni mount, multi adjustable, side rail mounted	POA
RD1.13	Flexi stem Omni mount, multi adjustable, armrest mounted	POA
RD2.13	Flexi stem Omni mount, multi adjustable, side rail mounted	POA
<b>Special input devices</b>		<b>Operating Force</b>
8000003	Micro joystick	(8.5 gram) 3,045
8000004	Multi joystick	(50 gram) 2,755
8000005	All-round <b>Light</b> joystick	(120 gram) 2,195
8000006	All-round <b>Light</b> joystick, <b>chin</b>	(includes 2 satellite switches and foam ball)(120 gram) 2,675
8000007	All-round joystick	(250 gram) 1,385
8000008	All-round joystick, <b>chin</b>	(includes 2 satellite switches and foam ball)(250 gram) 1,845
8000031	All-round <b>heavy duty</b> joystick	(650 gram) 2,975
	CoMoveIT, head and foot control	POA
<b>Mounting of special input device</b>		
8000009	On armrest, right	125
8000010	On armrest, left	125
8000011	In / on tray	(please specify dimensions and required mounting position in a detailed drawing) 955
<b>Swing arms for chin control</b>		
8000012	Manual horizontal, right	1,745
8000030	Manual horizontal, left	1,745
8000013	Powered horizontal, right	3,215
8000014	Powered horizontal, left	3,215
8000015	Powered vertical, right	3,215
8000016	Powered vertical, left	3,215
<b>Switches</b>		
6000081	∅17mm, red	185
6000082	∅17mm, green	185
6000490	∅17mm, yellow	185
6000491	∅17mm, blue	185
8000049	∅17mm, red, on <b>GooseNeck</b>	325
8000050	∅17mm, green, on <b>GooseNeck</b>	325
8000051	∅17mm, yellow, on <b>GooseNeck</b>	325
8000052	∅17mm, blue, on <b>GooseNeck</b>	325
6000083	∅30mm, red	215
6000084	∅30mm, green	215
6000492	∅30mm, yellow	215
6000493	∅30mm, blue	215
6000388	∅50mm, red	215
6000389	∅50mm, green	215
6000494	∅50mm, yellow	215
6000495	∅50mm, blue	215
6000496	∅63mm, red	215
6000497	∅63mm, green	215
6000498	∅63mm, yellow	215
6000499	∅63mm, blue	215
8000044	Micro light button	(10 gram) 325