



# Helio A7

## ORDER FORM - UK

P.O. number:	Date:	Ship to:*
Company Name:	Phone:	Name:
Purchasing contact:		Address:
Clinician/Sales rep/ATP:		City:
Email:		Country:
Marked for:	* Required	Postcode:
		Phone:
		VAT not included

MA083 English Manual (STD)

MODEL										GBP	
1	WC02	Ultralight Helio A7 wheelchair 7000 series aluminum (120 kg/265 lb weight capacity)								£2 250	<input type="checkbox"/>
2	WC09	HD Heavy duty kit (159 kg/ 350 lb weight capacity)								£350	<input type="checkbox"/>
3	WC10	E-Motion adaptor Kit (2 adaptors) - Only necessary with 6° camber								£35	<input type="checkbox"/>
SEAT WIDTH <sup>3</sup> - cm (inches)											
4	SW	Seat width:	35,6 (14") <input type="checkbox"/>	38,1 (15") <input type="checkbox"/>	40,6 (16") <input type="checkbox"/>	43,2 (17") <input type="checkbox"/>	45,7 (18") <sup>1</sup> <input type="checkbox"/>	48,3 (19") <sup>1</sup> <input type="checkbox"/>		NC	<input type="checkbox"/>
5	SW	Seat width:		50,8 (20") <sup>1</sup> <input type="checkbox"/>	53,3 (21") <sup>2</sup> <input type="checkbox"/>	55,9 (22") <sup>2</sup> <input type="checkbox"/>				£350	<input type="checkbox"/>
SEAT DEPTH - cm (inches)											
6	SD	Seat depth:	35,6 (14") <input type="checkbox"/>	38,1 (15") <input type="checkbox"/>	40,6 (16") <input type="checkbox"/>	43,2 (17") <input type="checkbox"/>	45,7 (18") <input type="checkbox"/>	48,3 (19") <input type="checkbox"/>		NC	<input type="checkbox"/>
7	SD	Seat depth:		50,8 (20") <input type="checkbox"/>						£350	<input type="checkbox"/>

1 - Available with HD option

2 - Only available with HD option

[3. Width calculator](#)

### A7 FRONT Seat-to-floor Height - Please select your choice

Forks / Position		3" caster			4" caster			5" caster			6" caster			7" caster			8" caster				
		Stem bolt Length			Stem bolt Length			Stem bolt Length			Stem bolt Length			Stem bolt Length			Stem bolt Length				
		STD	+ 2,54 cm 1"	+ 5,08cm 2"	STD	+ 2,54 cm 1"	+ 5,08cm 2"	STD	+ 2,54 cm 1"	+ 5,08cm 2"	STD	+ 2,54 cm 1"	+ 5,08cm 2"	STD	+ 2,54 cm 1"	+ 5,08cm 2"	STD	+ 2,54 cm 1"	+ 5,08cm 2"		
4 in 10,2 cm	P1	33cm/ 13"	35,6cm/ 14"	38,1cm/ 15"	34,3cm/ 13,5"	36,8cm/ 14,5"	39,4cm/ 15,5"														
	P2	34,3cm/ 13,5"	36,8cm/ 14,5"	39,4cm/ 15,5"	35,6cm/ 14"	38,1cm/ 15"	40,6cm/ 16"	36,8cm/ 14,5"	39,4cm/ 15,5"	41,9cm/ 16,5"											
5 in 12,7 cm	P1																				
	P2				35,6cm/ 14"	38,1cm/ 15"	40,6cm/ 16"	36,8cm/ 14,5"	39,4cm/ 15,5"	41,9cm/ 16,5"											
	P3	35,6cm/ 14"	38,1cm/ 15"	40,6cm/ 16"	36,8cm/ 14,5"	39,4cm/ 15,5"	41,9cm/ 16,5"	38,1cm/ 15"	40,6cm/ 16"	43,2cm/ 17"	39,4cm/ 15,5"	41,9cm/ 16,5"	44,5cm/ 17,5"								
	P4	36,8cm/ 14,5"	39,4cm/ 15,5"	41,9cm/ 16,5"	38,1cm/ 15"	40,6cm/ 16"	43,2cm/ 17"	39,4cm/ 15,5"	41,9cm/ 16,5"	44,5cm/ 17,5"	40,6cm/ 16"	43,2cm/ 17"	45,7cm/ 18"	41,9cm/ 16,5"	44,5cm/ 17,5"	47cm/ 18,5"	44,5cm/ 17,5"	47cm/ 18,5"	47cm/ 18,5"		
7 in 17,8 cm	P1										41,9cm/ 16,5"	44,5cm/ 17,5"	47cm/ 18,5"	43,2cm/ 17"	45,7cm/ 18"	48,3cm/ 19"					
	P2							41,9cm/ 16,5"	44,5cm/ 17,5"	47cm/ 18,5"	43,2cm/ 17"	45,7cm/ 18"	48,3cm/ 19"	44,5cm/ 17,5"	47cm/ 18,5"	49,5cm/ 19,5"					
	P3							43,2cm/ 17"	45,7cm/ 18"	48,3cm/ 19"	44,5cm/ 17,5"	47cm/ 18,5"	49,5cm/ 19,5"	45,7cm/ 18"	48,3cm/ 19"	50,8cm/ 20"	47cm/ 18,5"	49,5cm/ 19,5"	52,1cm/ 20,5"	49,5cm/ 19,5"	52,1cm/ 20,5"
	P4	41,9cm/ 16,5"	44,5cm/ 17,5"	47cm/ 18,5"	43,2cm/ 17"	45,7cm/ 18"	48,3cm/ 19"	44,5cm/ 17,5"	47cm/ 18,5"	49,5cm/ 19,5"	45,7cm/ 18"	48,3cm/ 19"	50,8cm/ 20"	47cm/ 18,5"	49,5cm/ 19,5"	52,1cm/ 20,5"	48,3cm/ 19"	50,8cm/ 20"	53,3cm/ 21"		
	P5	43,2cm/ 17"	45,7cm/ 18"	48,3cm/ 19"	44,5cm/ 17,5"	47cm/ 18,5"	49,5cm/ 19,5"	45,7cm/ 18"	48,3cm/ 19"	50,8cm/ 20"	47cm/ 18,5"	49,5cm/ 19,5"	52,1cm/ 20,5"	48,3cm/ 19"	50,8cm/ 20"	53,3cm/ 21"	49,5cm/ 19,5"	52,1cm/ 20,5"	54,6cm/ 21,5"		

Height available +/- 0,65cm (1/4") (see stem bolt and fork combination at the end of the order form)

CASTERS													
8	CA01	Composite wheel w/ PU tire (1" width)	3" <input type="checkbox"/>	4" <input type="checkbox"/>	5" <input type="checkbox"/>	6" <input type="checkbox"/>	7" <input type="checkbox"/>	8" <input type="checkbox"/>			NC	<input type="checkbox"/>	
9	CA10	Pneumatic casters 6" x 1 1/4"									£140	<input type="checkbox"/>	
10	CA11	Pneumatic casters 8" x 1 1/4"									£140	<input type="checkbox"/>	
11	CA14	Newton UltraCaster <i>Soft-Roll</i> Composite	4" x 1 1/2"									£70	<input type="checkbox"/>
12	CA15		5" x 1 1/2"									£70	<input type="checkbox"/>
13	CA16		6" x 1 1/2"									£70	<input type="checkbox"/>
14	CA17		4" x 1 1/2"									£120	<input type="checkbox"/>
15	CA18	Newton UltraCaster <i>Soft-Roll</i> Aluminum	5" x 1 1/2"									£125	<input type="checkbox"/>
16	CA19		6" x 1 1/2"									£130	<input type="checkbox"/>
CASTER OPTIONS													
17	CA12	Caster Pin Locks ( <i>Available with +1" or +2" Stem bolt ONLY</i> )									£250	<input type="checkbox"/>	
18	CA13	Carbon fiber Frog Legs suspension forks ( <i>Not available with caster pin locks</i> )									£395	<input type="checkbox"/>	

1 - Not Available with WC-19

### A7 - REAR Seat-to-floor Height

WHEEL SIZES	Height available		Specify desired height: _____
20" (451) wheel <input type="checkbox"/>	31,8cm / 12,5in	to 43,8cm / 17,25in	
22" (501) wheel <input type="checkbox"/>	34,3cm / 13,5in	to 46,4cm / 18,25in	
24" (540) wheel <input type="checkbox"/>	36,8cm / 14,5in	to 48,9cm / 19,25in	
25" (559) wheel <input type="checkbox"/>	38,1cm / 15in	to 50,2cm / 19,75in	
26" (590) wheel <input type="checkbox"/>	39,4cm / 15,5in	to 51,4cm / 20,25in	

Note: Tire size, center of gravity setting and seat slope may result in a variation of +/- 1,25 cm (1/2") of selected Seat to Floor height"

Footrest											
SWING-IN/SWING-OUT FOOTREST											
19	FR03	60° Swing-in/swing-out	34,3 - 43,2cm/13,5-17" <input type="checkbox"/>	36,8 - 49,5cm/14,5-19,5" <input type="checkbox"/>	39,4 - 52cm/15,5-20,5" <input type="checkbox"/>				Set at:*	NC	<input type="checkbox"/>
20	FR04	70° Swing-in/swing-out	34,3 - 43,2cm/13,5-17" <input type="checkbox"/>	36,8 - 49,5cm/14,5-19,5" <input type="checkbox"/>	39,4 - 52cm/15,5-20,5" <input type="checkbox"/>				Set at:*	NC	<input type="checkbox"/>
21	FR15	80° Swing-in/swing-out	34,3 - 40,6cm/13,5-16" <input type="checkbox"/>	36,8 - 49,5cm/14,5-19,5" <input type="checkbox"/>	39,4 - 52cm/15,5-20,5" <input type="checkbox"/>				Set at:*	NC	<input type="checkbox"/>
22	FR06	90° swing-in/swing-out with front mount - Standard (no extension) <sup>1</sup>	19 - 28cm (7.5 - 11")						Set at:*	NC	<input type="checkbox"/>
23	FR07	90° swing-in/swing-out with front mount - Short extension 2" <sup>1,2</sup>	24 - 33cm (9.5 - 13")						Set at:*	NC	<input type="checkbox"/>
24	FR08	90° swing-in/swing-out with front mount - Medium extension 4" <sup>1,2</sup>	24 - 36,8cm (9.5 - 14.5")						Set at:*	NC	<input type="checkbox"/>
FOOTREST OPTIONS <sup>3</sup>											
25	FR09	High mount ( <i>footplate attached to the hanger with clamps</i> )	12,7 - 34,3cm/5-13,5" <input type="checkbox"/>						Set at:*	£66	<input type="checkbox"/>
26	FR10	Elevating legrest with calf pad, 35.5 to 55.88 cm (14"-22")length adjustable	Left <input type="checkbox"/>	Right <input type="checkbox"/>				Set at:	£200	<input type="checkbox"/>	
27	FR99	Omit Footrest								NC	<input type="checkbox"/>

1 - Available only with adjustable footplates 2 - May interfere with front casters 3 - Not available with front mount

\* +/- 1.27 cm (1/2")

4 - The elevating legrest replace the footrest side selected

FOOTPLATES											
28	FP01	Standard - Composite								NC	<input type="checkbox"/>
29	FP02	Newton adjustable angle - Composite								£180	<input type="checkbox"/>
30	FP03	Newton adjustable angle - Aluminum								£200	<input type="checkbox"/>
31	FP04	Newton adjustable angle - Carbon fiber ( <i>with rubber inserts</i> )								£365	<input type="checkbox"/>
32	FP06	One piece adjustable angle flip-up - Aluminum								£166	<input type="checkbox"/>
33	FP07	One piece adjustable angle flip-up - Carbon fiber ( <i>with rubber inserts</i> )								£380	<input type="checkbox"/>
FOOTPLATE ACCESSORIES											
34	FP08	Length adjustable heel loop ( <i>not available with one piece footplate</i> )								£35	<input type="checkbox"/>
35	FP09	Calf strap								£30	<input type="checkbox"/>
36	FP30	Bodypoint Aeromesh Padded calf strap								£95	<input type="checkbox"/>
SWING AWAY RESIDUAL LIMB SUPPORT											
37	FR27	Residual limb support - flat 15,24x20,32cm (6"x8")	Left <input type="checkbox"/>	Right <input type="checkbox"/>						£355	<input type="checkbox"/>
38	FR28	Residual limb support - flat 20,32x24,4cm (8"x10")	Left <input type="checkbox"/>	Right <input type="checkbox"/>						£355	<input type="checkbox"/>
39	FR29	Residual limb support - flat 25,4x25,4cm (10"x10")	Left <input type="checkbox"/>	Right <input type="checkbox"/>						£355	<input type="checkbox"/>
40	FR30	Residual limb support - flat 25,4x35,56cm (10"x14")	Left <input type="checkbox"/>	Right <input type="checkbox"/>						£355	<input type="checkbox"/>
41	FR32	Residual limb support - contour 15,24x20,32cm (6"x8")	Left <input type="checkbox"/>	Right <input type="checkbox"/>						£355	<input type="checkbox"/>
42	FR33	Residual limb support - contour 20,32x24,4cm (8"x10")	Left <input type="checkbox"/>	Right <input type="checkbox"/>						£355	<input type="checkbox"/>

## Backrest

FIXED ANGLE BACK CANES WITH INTEGRATED PUSH HANDLE										
43	BC01	8° bend aluminum back cane	40,6 (16") <input type="checkbox"/>	45,7 (18") <input type="checkbox"/>	50,8 (20") <b>STD</b> <input type="checkbox"/>				NC	<input type="checkbox"/>
FIXED ANGLE, HEIGHT ADJUSTABLE BACK CANES WITH PUSH HANDLE OPTIONS										
44	BC11	Straight aluminum back cane	22,8 - 38,10,5 (9-12")	30,5 - 38,1 (12-15") <input type="checkbox"/>	38,1 - 45,7 (15-18") <input type="checkbox"/>	45,7 - 53,3 (18-21") <b>STD</b> <input type="checkbox"/>			NC	<input type="checkbox"/>
45	BC12	8° bend aluminum back cane	33 - 38,1 (13,5-15") <input type="checkbox"/>	38,1 - 45,7 (15-18") <input type="checkbox"/>	45,7 - 53,3 (18-21") <b>STD</b> <input type="checkbox"/>				NC	<input type="checkbox"/>
ANGLE AND HEIGHT ADJUSTABLE BACK CANE WITH PUSH HANDLE OPTIONS										
46	BC13	Straight aluminum back cane		38,1 - 45,7 (15-18") <input type="checkbox"/>	45,7 - 53,3 (18-21") <b>STD</b> <input type="checkbox"/>				£220	<input type="checkbox"/>
47	BC14	8° bend aluminum back cane		38,1 - 45,7 (15-18") <input type="checkbox"/>	45,7 - 53,3 (18-21") <b>STD</b> <input type="checkbox"/>				£220	<input type="checkbox"/>
48		Select back cane angle:	85° <sup>1</sup> <input type="checkbox"/>	90° <input type="checkbox"/>	95° <b>STD</b> <input type="checkbox"/>	100° <input type="checkbox"/>	105° <input type="checkbox"/>	110° <input type="checkbox"/>		
Set height to: <sup>2</sup>		<i>(measured from seat sling to top of back upholstery)</i>								
PUSH HANDLE OPTIONS										
49	PH01	Push handles							STD	<input type="checkbox"/>
50	PH05	Fold down push handles <sup>3,5</sup>							£120	<input type="checkbox"/>
51	PH06	Clamp on height adjustable push handle <sup>3,4,5</sup>	22,9 - 50,8 cm/9-20" <b>STD</b> <input type="checkbox"/>	22,9 - 58,4 cm/9-23" <input type="checkbox"/>					£260	<input type="checkbox"/>
52	PH02	Omit push handles							NC	<input type="checkbox"/>

1 - Not available with a 8 degree bend cane    2 - If not indicated, default height setting is at the lowest position    3 - 265 pounds weight limit

4 - Not compatible with swing away armrests, 8° bend back canes and amputee axle plates.

5 - Not compatible with stroller handle, the stabilizer bar, headrest and attendant lock

STROLLER HANDLE AND STABILIZER BAR <sup>1</sup> <i>(only available with push handle)</i>										
53	PH04	Stroller handle - <i>(not available with the HD option)</i>							£140	<input type="checkbox"/>
54	PH03	Newton folding stabilizer bar							£220	<input type="checkbox"/>

1 - Stroller handle and stabilizer bar can't be combined

BACK UPHOLSTERY										
55	BH07	Slip-on Active-Mesh back upholstery							NC	<input type="checkbox"/>
56	BH08	Adjustable tension Active-Mesh back upholstery							£145	<input type="checkbox"/>
57	BH99	Omit Back upholstery							STD	<input type="checkbox"/>

SEAT CUSHION										
58	SC01	5,1 cm (2") Cushion							£145	<input type="checkbox"/>
59	SC02	7,6 cm (3") Cushion							£162	<input type="checkbox"/>
60	SC99	Omit seat cushion							STD	<input type="checkbox"/>

## Rear wheels

ONE ARM DRIVE <sup>1</sup> Only available with Newton One rear wheels with Aluminum, Plastic coated Handrims											
61	HR22	One arm drive <sup>2,3</sup>	24"	Left <input type="checkbox"/>	Right <input type="checkbox"/>				£1 200	<input type="checkbox"/>	
62	HR98	Omit handrim on opposite side of the One Arm Drive (OAD)							NC	<input type="checkbox"/>	
REAR WHEELS											
61	RW01	Mag <sup>4</sup>	20" <input type="checkbox"/>	22" <input type="checkbox"/>	24" <input type="checkbox"/>				£45	<input type="checkbox"/>	
62	RW02	Newton One - spoke wheel <sup>5</sup>	20" <input type="checkbox"/>	22" <input type="checkbox"/>	24" <input type="checkbox"/>				NC	<input type="checkbox"/>	
63	RW03	Newton Gravity - ultralight wheel	20" <input type="checkbox"/>	22" <input type="checkbox"/>	24" <input type="checkbox"/>	25" <input type="checkbox"/>	26" <input type="checkbox"/>		£275	<input type="checkbox"/>	
64	RW04	Spinergy Spox		22" <input type="checkbox"/>	24" <input type="checkbox"/>	25" <input type="checkbox"/>	26" <input type="checkbox"/>		£600	<input type="checkbox"/>	
65		Spinergy Spox spokes colors <sup>6</sup>	<b>Blk</b> <b>STD</b> <input type="checkbox"/>	Wht <input type="checkbox"/>	Blue <input type="checkbox"/>	Red <input type="checkbox"/>	Yel <input type="checkbox"/>		NC	<input type="checkbox"/>	
66	RW05	Spinergy LX		22" <input type="checkbox"/>	24" <input type="checkbox"/>	25" <input type="checkbox"/>	26" <input type="checkbox"/>		£800	<input type="checkbox"/>	
67		Spinergy LX spokes colors <sup>6</sup>	<b>Blk</b> <b>STD</b> <input type="checkbox"/>	Pur <input type="checkbox"/>	Wht <input type="checkbox"/>	Blue <input type="checkbox"/>	Red <input type="checkbox"/>	Yel <input type="checkbox"/>	Pink <input type="checkbox"/>	Grn <input type="checkbox"/>	Org <input type="checkbox"/>
68	RW07	Spinergy CLX Carbon Blade		24" <input type="checkbox"/>	25" <input type="checkbox"/>				£1 200	<input type="checkbox"/>	
69		Spinergy CLX spokes colors <sup>6</sup>	<b>Blk</b> <b>STD</b> <input type="checkbox"/>	Pur <input type="checkbox"/>	Wht <input type="checkbox"/>	Blue <input type="checkbox"/>	Red <input type="checkbox"/>	Yel <input type="checkbox"/>	Pink <input type="checkbox"/>	Grn <input type="checkbox"/>	Org <input type="checkbox"/>
TIRES											
						Available					
70	TI01	Soft Urethane 1 1/4"				20", 22" 24"			STD	<input type="checkbox"/>	
71	TI02	Soft Urethane <i>knobby</i> 1 3/8"				22", 24", 25", 26"			£85	<input type="checkbox"/>	
72	TI04	Soft Urethane - <i>Shox</i> 1"				22", 24", 25", 26"			£99	<input type="checkbox"/>	
73	TI05	Pneumatic 1 3/8"				20", 22", 24", 25", 26"			NC	<input type="checkbox"/>	
74	TI08	Pneumatic with Airless insert 1 3/8" <sup>7</sup>				22", 24", 26"			£70	<input type="checkbox"/>	
75	TI06	Pneumatic HP - 1"				20", 22", 24", 25", 26"			£85	<input type="checkbox"/>	
76	TI07	Pneumatic HP - <i>Schwalbe Marathon Plus</i> 1"				24", 25", 26"			£95	<input type="checkbox"/>	

1 - Offered with handrims on each side of the wheelchair

2 - Only standard handrim position available

3 - Not available with HD option

4 - Not compatible with HP tires ; Only available with aluminum or plastic coated handrim in standard position

5 - Not compatible with Shox tires

6 - Colour spokes require an additional 10 days lead-time

7 - Only available with Newton One and Newton Gravity rear wheels

## Handrims

HANDRIM									
77	HR01	Aluminum anodized						STD	<input type="checkbox"/>
78	HR61	Aluminum black hard anodized <sup>1,3</sup>					<i>New</i>	£55	<input type="checkbox"/>
79	HR02	Plastic coated <sup>2</sup>						£85	<input type="checkbox"/>
80	HR03	Q-Grip High friction Neoprene coated <sup>2,3,4</sup>						£295	<input type="checkbox"/>
81	HR07	Newton Air Grip <sup>3</sup>	Black <input type="checkbox"/>					£85	<input type="checkbox"/>
82	HR	Newton Air Grip <sup>3</sup>	(08) Sunkissed Orange <input type="checkbox"/>	(09) Burgundy <input type="checkbox"/>	(10) Sapphire Blue <input type="checkbox"/>			£175	<input type="checkbox"/>
		(11) Monster Green <input type="checkbox"/>	(12) Charcoal <input type="checkbox"/>	(13) Fuchsia <input type="checkbox"/>	(14) Steel Blue <input type="checkbox"/>				
		(15) Ferrari Red <input type="checkbox"/>	(16) Acid Green <input type="checkbox"/>	(17) White <input type="checkbox"/>	(18) Sky Blue <input type="checkbox"/>				
83	HR28	Surge <sup>2,3,4</sup>	(1-1/2" Oval handrim w/ Gripton high friction strip)					£329	<input type="checkbox"/>
84	HR05	Surge LT <sup>2,3,4</sup>	(1-1/8" Oval handrim w/ Gripton high friction strip)					£355	<input type="checkbox"/>
85	HR04	Natural Fit <sup>2,3,4</sup>						£270	<input type="checkbox"/>
86	HR99	Omit handrim						NC	<input type="checkbox"/>

1 - Not available in 26"      2 - Only standard handrim position available      3 - Not available with Mag wheels or OAD      4 - Not available in 20"

## Handrims option

Assembly position for aluminum and Newton AirGrip handrims										
87	HR29	Standard Handrim position	Full tab						STD	<input type="checkbox"/>
88	HR30	Narrow Handrim position	Short tab 2 positions						£20	<input type="checkbox"/>
89	HR31	Super Narrow Handrim	Short tab 2 positions STD <input type="checkbox"/>		Short tab 1 position <input type="checkbox"/>				£20	<input type="checkbox"/>
Thumb piece <sup>4</sup> selection for Natural Fit handrims										
90	HR23	Standard grip						£75	<input type="checkbox"/>	
91	HR27	Super grip						£120	<input type="checkbox"/>	
92	HR099	Omit thumb piece						NC	<input type="checkbox"/>	


4- Compatible with Surge, Surge LT handrims

AXLE <sup>1</sup>									
93	AX01	Quick release axle						STD	<input type="checkbox"/>
94	AX02	Permanent axle						NC	<input type="checkbox"/>
95	AX03	Quad release axle						£108	<input type="checkbox"/>
AXLE PLATE									
96	AX04	Amputee adjustable axle plate <sup>2</sup>						£170	<input type="checkbox"/>

1 - Not required with one arm drive      2 - May interfere with swing away armrest and limit seat to floor height available

REAR WHEEL CAMBER									
97	CM00	0° camber						STD	<input type="checkbox"/>
98	CM03	3° camber						NC	<input type="checkbox"/>
99	CM06	6° camber (not available with amputee axle plate)						£133	<input type="checkbox"/>

## CENTER OF GRAVITY



### Choose position of rear wheel axle plate:

Measure distance X from front of back post to center of axle receiver.

X =	Most stable								Most responsive			
	2,5 1"	3,2 1/4"	3,8 1/2"	4,4 3/4"	5,1 2"	5,7 1/4"	6,3 1/2"	7 3/4"	7,6 3"	8,3 1/4"	8,9 1/2"	9,5 3/4"
	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

If not indicated, default setting is at 3,8 cm (1.5")

Possible conflict between a seat depth under 40,6 cm (16") and a center of gravity over 6,3 cm (2.5").

Possible conflict between a 26" rear wheel and a center of gravity over 6,3 cm (2.5").


If a configuration issue arises due to the choice of the Center Of Gravity (COG) Motion Composites reserves the right to reduce or increase the COG to the closest position.

WHEEL LOCK									
100	WL08	Newton Wheel lock - push to lock						STD	<input type="checkbox"/>
101	WL02	Pull to lock						NC	<input type="checkbox"/>
102	WL04	Newton grade aid push to lock (suggested with pneumatic or high pressure tire)						£135	<input type="checkbox"/>
103	WL13 WL14	6" removable extension handle						£66	<input type="checkbox"/>
104	WL05	Scissor Lock						£120	<input type="checkbox"/>
105	WL06	Attendant Lock (additional set of wheel lock mounted to the back)						£175	<input type="checkbox"/>
106	WL99	Omit wheel locks						NC	<input type="checkbox"/>

Armrests									
FLIP BACK ARMREST (Convertible to "T" armrest) <sup>1,4</sup>		Height Adjustment				Removable function			
107	AR01	10" Desk length arm pad	20 - 30cm (8 - 12") STD <input type="checkbox"/>	25 - 36cm (10 - 14") <input type="checkbox"/>	Locked <input type="checkbox"/>	Unlocked <input type="checkbox"/> STD	£310	<input type="checkbox"/>	
108	AR02	14" Full length arm pad	20 - 30cm (8 - 12") STD <input type="checkbox"/>	25 - 36cm (10 - 14") <input type="checkbox"/>	Locked <input type="checkbox"/>	Unlocked <input type="checkbox"/> STD	£310	<input type="checkbox"/>	
"T" ARMREST <sup>1</sup>		Height Adjustment							
109	AR03	10" Desk length arm pad	20 - 30cm (8 - 12") STD <input type="checkbox"/>	25 - 36cm (10 - 14") <input type="checkbox"/>			£285	<input type="checkbox"/>	
110	AR04	14" Full length arm pad	20 - 30cm (8 - 12") STD <input type="checkbox"/>	25 - 36cm (10 - 14") <input type="checkbox"/>			£285	<input type="checkbox"/>	
SWING AWAY ARMREST <sup>2,4</sup>		Height Adjustment							
111	AR05	Tubular arm pad	20 - 28 cm (8 - 11")				£195	<input type="checkbox"/>	
112	AR06	10 "Desk length arm pad	20 - 28 cm (8 - 11")				£195	<input type="checkbox"/>	
GEL ARM PAD <sup>3</sup>									
113	AR12	36cm (14") Full Length Arm Pad - Gel Ovation					£133	<input type="checkbox"/>	
114	AR99	Omit armrest					NC	<input type="checkbox"/>	
1 - May have a 1/2" adjustment restriction on both limits of the range    2 - Could interfere with some rigid back rests    3 - Not available with swing away armrest    4 - Not available with attendant lock									
SIDE GUARDS (not available with Flip Back and "T" Armrest)									
115	SG01	Plastic side guards (removable)					£170	<input type="checkbox"/>	
116	SG02	Carbon fiber side guards (fixed)					£220	<input type="checkbox"/>	
117	SG03	Carbon fiber side guards (removable)					£255	<input type="checkbox"/>	
118	SG06	Plastic fender side guards (removable) <sup>1</sup>					£235	<input type="checkbox"/>	
119	SG04	Carbon fiber fender side guards (removable)					£435	<input type="checkbox"/>	
120	SG99	Omit side guard					NC	<input type="checkbox"/>	
SIDE GUARDS OPTION									
121	SG07	Side guards clip (pair) <sup>2</sup>					NC	<input type="checkbox"/>	
1 - Not compatible with 20" and 22" rear wheels    2 - Not available with fixed carbon fiber side guard									
POSITIONING BELT									
122	SB01	Velcro adjustable	Standard 88,9 cm/35" <input type="checkbox"/>	Long 152,40 cm/60" <input type="checkbox"/>			£40	<input type="checkbox"/>	
123	SB02	Auto buckle	Standard 88,9 cm/35" <input type="checkbox"/>	Long 152,40 cm/60" <input type="checkbox"/>			£75	<input type="checkbox"/>	
124	SB07	Hardware attachment for 2 point seatbelt (1 pair)					NC	<input type="checkbox"/>	
125	SB03	Additional hardware for 2 extra attachment points (needed for the 4 point seat belt) (1 pair)					£15	<input type="checkbox"/>	
126	SB04	BodyPoint Hip Belt - 2 point not padded	M (142,24 cm/56") <input type="checkbox"/>	G (154,94 cm/61") <input type="checkbox"/>			£70	<input type="checkbox"/>	
127	SB05	BodyPoint Hip Belt - 2 point padded	P (129,54 cm/51") <input type="checkbox"/>	M (142,24 cm/56") <input type="checkbox"/>	G (154,94 cm/61") <input type="checkbox"/>		£150	<input type="checkbox"/>	
128	SB06	BodyPoint Hip Belt - 4 point padded	P (129,54 cm/51") <input type="checkbox"/>	M (142,24 cm/56") <input type="checkbox"/>	G (154,94 cm/61") <input type="checkbox"/>		£165	<input type="checkbox"/>	
129	SB08	BodyPoint EVOFLEX® Positioning Belt Rehab latch and Band Clamps	M (73,66 cm/18")	G (93,98 cm/24")			£250	<input type="checkbox"/>	
130	SB99	Omit positioning belt					STD	<input type="checkbox"/>	
HEADREST <sup>1</sup>									
131	AC01	Profiled Headrest	S (8,8 x 15,2 cm/3,5"x6") <input type="checkbox"/>	M (11,4 x 17,8 cm/4,5"x7") <input type="checkbox"/>	L (14 x 2,3 cm/5,5"x8") <input type="checkbox"/>			£158	<input type="checkbox"/>
132	AC28	Headrest mounting hardware with removable non folding stabilizer bar					£258	<input type="checkbox"/>	
1 - Only available with push handles - Not available with a stroller handle or a folding stabiliser bar									
ACCESSORIES									
133	AC03	Anti tippers					£120	<input type="checkbox"/>	
134	AC29	Swing-away anti-tippers <sup>1</sup>	Left <input type="checkbox"/>	Right <input type="checkbox"/>		New	£116	<input type="checkbox"/>	
135	AC27	Tip assist <sup>2</sup>					£54	<input type="checkbox"/>	
136	AC04	Transit Tie Down (Unoccupied)					NC	<input type="checkbox"/>	
137	AC05	WC-19 Transit Tie Down w/Q'straint belt <sup>3</sup>	Short 50-104 cm/20-41" <input type="checkbox"/>	Long 50-116 cm/20-46" <input type="checkbox"/>			£280	<input type="checkbox"/>	
138	AC06	Cane carrier	Left <input type="checkbox"/>	Right <input type="checkbox"/>			£104	<input type="checkbox"/>	
139	AC07	Oxygen tank holder - E Type Not compatible with swing away armrest or amputee axle plate	Left				£270	<input type="checkbox"/>	
140	AC08	Spoke guards <sup>4</sup>	Available: 20", 22", 24", 26"				£100	<input type="checkbox"/>	
141	AC09	Footrest neoprene impact guard (pair) - Black					£79	<input type="checkbox"/>	
142	AC10	Seat pouch					£65	<input type="checkbox"/>	
143	AC26	BodyPoint Mobility Bag					£108	<input type="checkbox"/>	
144	AC23	Newton Backpack					£100	<input type="checkbox"/>	
145	AC12	Velcro Closing Strap					£45	<input type="checkbox"/>	
146	AC13	Tool kit					£39	<input type="checkbox"/>	
147	AC16	Motion Composites Polo Shirt	W/S <input type="checkbox"/>	W/M <input type="checkbox"/>	W/L <input type="checkbox"/>			£29	<input type="checkbox"/>
			M/S <input type="checkbox"/>	M/M <input type="checkbox"/>	M/L <input type="checkbox"/>	M/XL <input type="checkbox"/>	M/XXL <input type="checkbox"/>	M/XXXL <input type="checkbox"/>	M/XXXXL <input type="checkbox"/>
1 - Must select the pair (left and right) with HD option    2 - Cannot be combined with Anti Tippers 3 - May interfere with swing away armrest and Clamp on height adjustable push handle; Not available with HD option    4 - Not available with Mag wheels and Spinergy									

FRAME COLOR (with black hydroformed aluminum crossbrace)						
148	FC01	Black <input type="checkbox"/>			NC	<input type="checkbox"/>
149	FC	(03) Sunkissed Orange <input type="checkbox"/>	(04) Burgundy <input type="checkbox"/>	(05) Sapphire Blue <input type="checkbox"/>	(06) Monster Green <input type="checkbox"/>	NC <input type="checkbox"/>
		(07) Charcoal <input type="checkbox"/>	(08) Fuchsia <input type="checkbox"/>	(09) Steel Blue <input type="checkbox"/>	(17) Ferrari Red <input type="checkbox"/>	(18) Acid Green <input type="checkbox"/>
150	FC99	Custom Color	<a href="#">Specify PPG Paintit color:</a>		Additional 10 days lead-time	£300 <input type="checkbox"/>
<b>TOTAL</b>						

**Fork and Stem bolt combinations**



**Notes :**