ottobock.

Base Price - £4472.00	Order no.:				
Valid from 01.04.22 to 31.03.23 Please ensure you are using the latest o					
☐ Provide estimate only					
☐ Attachment for costumer fabrication enclosed					
Rilling address/customer number					

Attachment for costumer fabrication enclosed			
Billing address/customer number			
De l ivery address			
Sales person	Name		
Sales person	Name		
	Date Signature		

By placing the order, you agree to comply with the instructions for use/service manuals for accessories and products of other manufacturers when combining them with an Ottobock $product, in \ addition \ to \ the \ instructions \ for \ use/service \ manuals \ of \ the \ respective \ Ottobock$ products. Also you confirm to have read, understood and accepted, our general terms and conditions. In addition, you agree, upon placing an order, to conduct your own conformity assessment or approval in accordance with national requirements if and when you implement modifications or attachments that do not meet the specifications of Ottobock instructions for use/service manuals.

Wheelchairs with CLT package cannot be returned or exchanged.

Zenit CLT

Active wheelchair

Article number: 480F160=1 AA03 C



Standard equipment


- Open aluminium tube frame, foldable
- Side support (for drive wheels) firmly welded
- Back support tubes firmly welded
- Foldable leg support
- Back support upholstery adjustable
- Aluminium side panels
- Modular design
- Drive wheels with quick-release axles
- Knee lever wheel lock 4.0
- Calf strap

Folding, max. user weight 100 kg

Wheelchair measurements*

- 1 Anterior seat height (ASH)
 - = ground to top of seat upholstery
- 2 Lower leg length (LL)
 - = top of seat upholstery to top of foot plate (without seat cushion)
- 3 Posterior seat height (PSH)
 - = ground to top of seat upholstery
- 4 Back support height (BH)
 - = top of seat tube (crossbrace) to top of back support upholstery
- 5 Seat depth (SD)
 - = front of seat upholstery to back support tube
- 6 Seat width (SW)
 - = outside edge of frame tube to outside edge of frame tube

A manufacturing tolerance of 10 mm applies to all measurements and of 10% to specified weights.



The number codes contained in this order form are not intended to be used as article numbers for spare parts orders. Please use the spare parts catalogue for spare parts orders.

Frame tube material									
MA 08	IX] Alu	minium						Inclusive
Spring support folding mechanism									
MA 120	IX	Sta	ndard						Inclusive
Front frame and	gle								
MA 20] 75°							Inclusive
MA 21] 85°							Inclusive
Front frame off:	set								
MA 14		0 cr	m offset						Inclusive
MA 15		2 cr	m offset						Inclusive
MA 30] 2 cr	m abduction (p	oossib l e up	to SW 42 cm)			Inclusive
Front frame ext	ension								
MA 23] 3 cr	m						£87.00
Seat width SW i	in cm	•							
32 3		 36	38	<u></u> □ 40	42		<u></u> 46		
Seat depth SD i									
□ 36 □ 3				44	<u></u> 46	48	50		
Anterior seat he									
		□ 40 □ 49	□ 41 □ 50	□ 42 □ 51	□ 43 □ 52	□ 44 □ 53	□ 45 □ 54	☐ 46	
Frame accessor	ies								
MA 51		Tip	-assist, right					+ 270 g	£101.00
MA 52		<u> </u>	-assist, left					+ 270 g	£101.00
MA 55		-	i-tipper, right					+ 517 g	£178.00
MA 56		Ant	:i-tipper, l eft					+ 517 g	£178.00
MA 60] Fra	me pad					+ 42 g	£65.00
Caster wheels									
MF 30] 4" s	olid rubber, bl	ack					Inclusive
MF 35] 4" s	oft caster, a l ur	minium					£132.00
MF 31		5" s	olid rubber, bl	ack					Inclusive
MF 36		5" s	oft caster, a l ur	minium					£132.00
MF 04		5.5'	' soft caster, gr	ey					Inclusive
MF 05] 6" p	neumatic tyre	•					Inclusive
MF 32		6" s	olid rubber, bl	ack					Inclusive
MF 37] 6" s	oft caster, a l ur	minium					£132.00
Caster wheel ax									
MF 90	X	Cas	ter whee l fork	s with threa	ided axles				Inclusive
Posterior seat height in cm									
□ 37 □ 3 □ 44 □ 4		☐ 39 ☐ 46	☐ 40 ☐ 47	☐ 41 ☐ 48	☐ 42 ☐ 49	□ 43 □ 50	□44		

ottobock.

Drive wheel size					
MG 02		24"			Inclusive
MG 00		25"	-		Inclusive
Drive wheel camber					
Drive wheel rim			24"	25"	
MG 06		Hollow rims	•		Inclusive
MG 10		Spinergy SPOX - 360 g	, .		£627.00
MG 11		Spinergy LX - 400 g			£692.00
MG 12		Spinergy LXL Blade, black spokes - 660 g	,		£780.00
MG 12		Spinergy LXL Blade, Blade, white spokes - 660 g	, .		£780.00
MG 15		Infinity Ultralight (not possible in combination with MG 34) - 720 (, .	•	£95.00
MG 150		Infinity Ultralight, coloured (not possible in combination - 720 (with MG 34)	•		£162.00
		Colour set Infinity Ultralight/caster wheel fork	24"	25"	
		Sparkle light orange	•		
		Marine blue	•		
		Candy red	•		
		Sparkle granny-smith	•		
Tyres			24"	25"	
MG 31		Schwalbe RightRun 1"			Inclusive
MG 34		PU 1" (not possible in combination with MG 15/MG 150) + 344 (,		Inclusive
MG 341		PU 1", black + 344 (not possible in combination with MG 15/MG 150)			Inclusive
MG 37		Schwalbe Marathon Plus Evolution 1" + 374	,	•	£45.00
MG 371		Schwalbe Marathon Plus Evolution 1.1" + 379 9			£61.00
MG 200		Schwalbe ONE 1" - 226 g			£74.00
Handrims			24"	25"	
MG 50		Aluminium, black coated, high			Inclusive
MG 52		Aluminium, silver anodised, high - 40 o	, .		£12.00
MG 53		Aluminium, silver anodised, low - 120 g	, .		£12.00
MG 54		Rubber-coated + 500 g	, .	•	£132.00
MG 56		Stainless steel, polished, high + 620 g		•	£51.00
MG 57		Stainless steel, polished, low + 580 g			£51.00
MG 63		CURVE L (anodised) + 200 (, ·	•	£335.00
MG 64		CURVE L Grip for users with limited gripping function + 840 g	,	•	£362.00
MG 65		GEKKO, ergonomic handrim + 580 g		•	£297.00
Handrim mounting					
MG 70		Mounting position narrow (15 mm)			Inclusive
MG 71		Mounting position wide (25 mm)			Inclusive
Tipping point in cm (measured parallel to the ground)					
□5 □6 □7 □8 □9 □10 □11 □12 □13 □14					
Alternative measuring method (specification of the horizontal drive wheel position of the Avantgarde)					
□ A □ B]C □D □E □F □G □H			
(Tick the drive whee	l posi	tion of your Avantgarde, we calculate the tipping point)			

Quick-release axle sy	/stem			
MG 27		Quick-release axle		Inclusive
MG 28		Quick-release axle with Tetra release	+ 158 g	£140.00
Drive wheel accesso	ries			
MG 87		High-pressure air pump, 14 bar		£99.00
MG 88		Airman pump		£151.00
Wheel locks				
MH 01		Knee lever wheel lock 4.0		Inclusive
MH 30		Knee lever wheel lock 4.0, long lever		Inclusive
MH 05		Scissor wheel lock	- 142 g	£123.00
Wheel lock accessor	ies			
MH 10		Wheel lock lever extension, fixed	+ 70 g	£33.00
MH 21		Wheel lock lever extension, pluggable	+ 34 g	£60.00
Back support height	in cr	n		
25 27.5]30 □32.5 □35 □37.5		
40 42.5		1 45		
Back support system)			
MD 01		Back support, straight (measured 90° to the seat tube)		Inclusive
MD 13		Back support angle according to customer request (measured 90' □ 0° □ -5° □ -10°	° to the ground)	£89.00
Back support uphols	stery			
MD 03		Adaptable, padded		£47.00
MD 05		Adaptable, breathable		Inclusive
MD 18		Ultra light		£45.00
MD 06		Without		Inclusive
Back support pad w	denir	ng		
MD 80		+ 2 cm		£17.00
MD 81		+ 4 cm		£17.00
MD 82		Without		Inclusive
Use of BAXX back su	pport	system (include order form, model-specific restrictions are possib	ile)	
MD 44		BAXX aluminium back support (not mounted)		£588.00
Push handles				
MD 50		Short		Inclusive
MD 51		Long	+ 128 g	Inclusive
MD 55		Height-adjustable/removable	+ 580 g	£141.00
MD 56		Fold-down	+ 108 g	£170.00
MD 59		Without	- 258 g	Inclusive

ottobock.

Side panels				
ME 02		Aluminium, with splash guard and protection against cold	Inclusive	
ME 04		Carbon, with splash guard - 25	56 g £537.00	
Seat upholstery				
MC 15		Seat upholstery with storage compartments (up to seat width 38 cm = 1 compartment; from seat width 40 cm = 2 compartments)	£35.00	
MC 16		Upholstery readjustable	Inclusive	
MC 18		Ultra light	£36.00	
MC 06		Without	Inclusive	
Seat cushions				
MC 01		Standard (thickness of cushion 5 cm)	£85.00	
MC 02		Cubic Foam (thickness of cushion 5 cm)	£123.00	
MC 05		Evolight (thickness of cushion 6 cm)	£175.00	
MC 20		Terra (thickness of cushion 10 cm)	£164.00	
MC 21		Terra Aquos (thickness of cushion 10 cm)	£197.00	
MC 22		Terra Flair (thickness of cushion 10 cm)	£494.00	
MC 23		Cloud (thickness of cushion 10 cm)	£483.00	
MC 29		Livo (thickness of cushion 5 cm)	£73.00	
MC 30		Evoflair (thickness of cushion 8 cm)	£264.00	
Lower leg length (LL MB 130 MB 14	L) in cr	M	\dashv /	
Leg supports (folding	g)			
MB 160		Single-panel, aluminium	Inclusive	
MB 180		Single-panel, carbon	£131.00	
Leg support accesso	ories			
MB 70		Lock for single-panel foot plate	£75.00	
Other accessories				
MZ 59		Pocket for mobile phone	£27.00	
Spoke protectors				
MG 90		Spoke protector, transparent	£127.00	
MG 100		Spoke protector, Graphics decor	£183.00	
MG 101		Spoke protector, Miracle decor	£183.00	
MG 102		Spoke protector, Network decor	£183.00	
MG 103		Spoke protector, Robots decor	£183.00	
MG 104		Spoke protector, Spectrum decor	£183.00	

Frame colours			
001		Brilliant silver	Inclusive
002		Anthracite metallic	Inclusive
003		Jet black RAL 9005	Inclusive
004		Ice blue	Inclusive
005		Sparkle light orange	Inclusive
009		Vinho sparkle	Inclusive
010		Marine blue	Inclusive
012		Sky blue	Inclusive
048		Jet black matte (structure)	Inclusive
014		Candy red	Inclusive
021		Sparkle granny smith	Inclusive
023		White RAL 9016	Inclusive
027		Shimano matte	Inclusive
Special accesso	ories		
MZ 52		Toolkit	£55.00
MZ 58		Bag for drive wheels (for 2 drive wheels up to 28")	£96.00
MZ 89		Quick-release axle protection	£8.00
MZ 92		Wheelblades (Mini-skis for caster wheels)	£375.00
MZ 93		Backpack	£54.00

Information



MG 06 Hollow rim



MG 10 Spinergy SPOX



MG 11 Spinergy LX



MG 15 Infinity Ultralight



MF 35/36/37 4/5/6" soft caster



MG 100 Graphic



MG 103 Robots



MG 104 Spectrum