

QS5 X



ORDER FORM

Errors and imissions excepted.

| Billing Address Or Customer-ID | | | | Shipping Address | | Identical To Billing Address | |
|--------------------------------|-------------|-------------|------|----------------------------------|-----------|------------------------------|--|
| C.-ID: | | | | C.-ID: | | | |
| Name: | | | | Name: | | | |
| Street: | | | | Street: | | | |
| Town/PC: | | | | Town / PC: | | | |
| E-Mail: | | | | E-Mail: | | | |
| Phone: | | | | Phone: | | | |
| Order Information | | | | User Weight | | | |
| Order | Calculation | Built-4-Me® | | Max. user weight 140 kg | | | |
| Purchase Order No.: | | | | Art. No.: 71200000 / 71200001 IC | | | |
| Order Date: | Day | Month | Year | User Weight: | kg | | |

Base Price QS5 X

£1,500

Client Measurements all measurements without cushion

Seat Width measured from outside frame tube to outside frame tube

| | | | | | | | | | |
|------|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| (mm) | 340 | 360 | 380 | 400 | 420 | 440 | 460 | 480 | 500 |
| | 520 | 540 | | | | | | | |

Seat Depth

| | | | | | | | | | |
|------|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| (mm) | 340 | 360 | 380 | 400 | 420 | 440 | 460 | 480 | 500 |
|------|-----|-----|-----|-----|-----|-----|-----|-----|-----|

Front Seat Height Selection in dependence of front castors and frame versions

| Fork Type (mm) | 360 | 370 | 380 | 390 | 400 | 410 | 420 | 430 | 440 | 450 | 460 | 470 | 480 | 490 | 500 | 510 | 520 | 530 | 540 |
|-------------------------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| 4" | | | | | | | | | | | | | | | | | | | |
| Hemi Version (Alu 115/158 mm) | | | | | | | - | | | - | - | - | - | - | - | - | - | - | - |
| One arm fork (105 mm) | - | - | - | - | - | - | | | | | - | - | - | - | - | - | - | - | - |
| Aluminium (115 mm) | - | - | - | - | - | - | - | | | | | - | - | - | - | - | - | - | - |
| Aluminium (131 mm) | - | - | - | - | - | - | - | - | | | | | | - | - | - | - | - | - |
| Aluminium (158 mm) | - | - | - | - | - | - | - | - | - | - | - | | | | | - | - | - | - |
| 5" | | | | | | | | | | | | | | | | | | | |
| Hemi Version (Alu 115/158mm) | - | - | - | - | - | - | - | | | | - | - | - | - | - | - | - | - | - |
| Aluminium (115 mm) | - | - | - | - | - | - | - | - | - | | | | - | - | - | - | - | - | - |
| One arm fork (105 mm) | - | - | - | - | - | - | - | - | | | | - | - | - | - | - | - | - | - |
| Aluminium (131 mm) | - | - | - | - | - | - | - | - | | | | | | | - | - | - | - | - |
| Aluminium (158 mm) | - | - | - | - | - | - | - | - | - | - | - | | | | | | | - | - |
| 6" | | | | | | | | | | | | | | | | | | | |
| Hemi Version (Alu 115/158 mm) | - | - | - | - | - | - | - | | | | | - | - | - | - | - | - | - | - |
| Aluminium (131 mm) | - | - | - | - | - | - | - | - | - | - | - | | | | | - | - | - | - |
| Aluminium (158 mm) | - | - | - | - | - | - | - | - | - | - | - | - | | | | | | | - |
| 7" | | | | | | | | | | | | | | | | | | | |
| Aluminium (158 mm) | - | - | - | - | - | - | - | - | - | - | - | - | - | | | | | | |

Hemi version only with SA frame - upcharge for QSC080101 will apply.

Rear Seat Height Selection in dependence of rear wheel size

| Rear seat height in mm | 350 | 360 | 370 | 380 | 390 | 400 | 410 | 420 | 430 | 440 | 450 | 460 | 470 | 480 | 490 | 500 | 510 | 520 |
|------------------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| 22" | | | | | | | | | | | | | | | - | - | - | - |
| 24" | - | - | | | | | | | | | | | | | | | - | - |
| 25" | - | - | - | - | - | - | - | - | | | | | | | | | | - |
| 26" | - | - | - | - | - | - | - | - | - | - | | | | | | | | |

The rear seat height can only be between 0 mm and 110 mm below the selected front seat height.

Seat Upholstery and Cushions

£

Seat sling

| | | |
|-----------|----------------------------------|---|
| QSC020014 | Seat sling, nylon, 1 utility bag | 0 |
| QSC020000 | Without seat sling | 0 |

Seat cushion, cover with zipper, black

| | | |
|-----------|-------------------------------------------------------------------|----|
| QSC020101 | Seat cushion, foam (medium-soft), cover with zipper, black, 30 mm | 80 |
| QSC020102 | Seat cushion, foam (medium-soft), cover with zipper, black, 50 mm | 80 |
| QSC020103 | Seat cushion, Latex (very soft), cover with zipper, black, 50 mm | 80 |

JAY Cushions – for complete product range see JAY order forms

| | | |
|-----------|------------------|-----|
| JAY020002 | JAY Basic | 70 |
| JAY020001 | JAY Easy Visco C | 170 |
| JAY020007 | JAY Easy Fluid | 390 |
| JAY020004 | JAY Lite | 275 |

Seat accessories

| | | |
|-----------|-----------------------------|----|
| QSC090018 | Lap belt with buckle, metal | 70 |
|-----------|-----------------------------|----|

Backrest

£

| Backrest height range | | 250 - 300 | 300 - 350 | 350 - 400 | 400 - 450 | 450 - 500 | | |
|-------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|-----------|-----------|-----------|-----------|------|------|
| Back height set at (mm) | | | | | | | | |
| | | 250 | 300 | 350 | 400 | 450 | | |
| | | 275 | 325 | 375 | 425 | 475 | | |
| | | 300 | 350 | 400 | 450 | 500 | | |
| QSC030010 | Backrest, fixed (90°) | | | | | | 0 | |
| QSC030111 | Lumbar curve 5° (to the front) | | | | | | 50 | |
| QSC030110 | Lumbar curve 5° (to the back) | | | | | | 50 | |
| QSC030101 | Backrest, half-folding (to the back) Available from backrest height 375mm, only with push handles, medium. Not with stabilizing bar or headrest | | | | | | 200 | |
| QSC030031 | Backrest, fold-down (to the front) Only available from backrest height 350mm, only with push handles, medium or push handles, fold-down. Not with stabilizing bar, headrest or JAY SHAPE, please see matrix on foldability on page 7 | | | | | | 200 | |
| QSC030012 | Backrest, angle-adjustable (70 - 105°) not with backrest height 500 mm | | | | | | 65 | |
| | | 75° | 80° | 85° | 90° | 95° | 100° | 105° |

Push handles

| | | |
|-----------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| QSC030201 | Push handles, Medium | 0 |
| QSC030231 | Push handles, Long +30 mm in length, not in combination with folding backrest (to the rear/ to the front) | 50 |
| QSC030203 | Push handles, fold-down Not in combination with backrest, half-folding (to the back), not in combination with R20, only from back height 300 mm, not with JAY SHAPE | 90 |
| QSC030204 | Push handles, height-adjustable Not in combination with backrest, half-folding (to the back), not in combination backrest, fold-down (to the front), only from back height 300 mm, not in combination with R20 | 210 |
| QSC030205 | Push handles, height-adjustable for JAY backs Not in combination with backrest, half-folding (to the back), not in combination backrest, fold-down (to the front), only from back height 300 mm, not in combination with R20 | 210 |
| QSC030200 | Without push handles Not in combination with backrest, half-folding (to the back), not in combination backrest, fold-down (to the front), not in combination with R20 | 0 |

| Backrest upholstery (black) | | | | | | | |
|------------------------------------|-----------------------------------------------------------------------------------------------------------------|-------|--------|--------|-----|------|----|
| QSC030316 | EXO Backrest sling, synthetic fibre, padded, adjustable, 1 accessory bag, black (EXO Evo version) | | | | | | 0 |
| | Colour binding tape: | Black | Orange | Silver | Red | Blue | |
| QSC030317 | EXO PRO Backrest sling, padded, adjustable, breathable, spacer fabric, 1 accessory bag, black (EXO Evo version) | | | | | | 90 |
| | Colour binding tape: | Black | Orange | Silver | Red | Blue | |
| QSC030000 | Without backrest upholstery | | | | | | 0 |

| JAY Shape backrest | | | | | | | |
|---------------------------|-----------------------------------------------------------------------------------------------------------------------------|--|--|--|--|--|-----|
| JAY080001 | JAY SHAPE Back SW 360 - 500 mm, from BH 375 mm, from RSH 440 mm, not in combination with backrest fold down to the front | | | | | | 245 |
| JAY080011 | JAY SHAPE Lateral supports 10 x 12 (Pair) not in combination with backrest fold down to the front | | | | | | 245 |
| JAY080010 | JAY SHAPE Lateral supports 15 x 15 (Pair) not in combination with backrest fold down to the front | | | | | | 245 |

| Backrest accessories | | | | | | | |
|-----------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|--|--|--|--|-----|
| QSC030402 | Stabilising bar, automatic folding Not in combination with backrest, half-folding to the front and to the back | | | | | | 150 |
| QSC030410 | Headrest, tall height, depth and angle-adjustable, 230 x 110 mm Not in combination with backrest, half-folding (to the back), not in combination with backrest, fold-down (to the front), only with push handles height adjustable (QSC030204, QSC030205) | | | | | | 245 |
| QSC030411 | Headrest, medium height, depth and angle-adjustable, 200 x 110 mm Not in combination with backrest, half-folding (to the back), not in combination with backrest, fold-down (to the front), only with push handles height adjustable (QSC030204, QSC030205) | | | | | | 245 |

JAY BACKS plus ACCESSORIES max. user weight 136 kg £

| JAY J3 Back - Mid Deep Contour (150 mm contour depth) | | Medium (M) | | |
|--------------------------------------------------------------|--------------------------------------------------------------------|-------------------|--|-----|
| Mid Thoracic | JAY030044 | 340 mm | | 795 |
| Upper Thoracic | JAY030042 | 460 mm | | 795 |
| JAY J3 Back, Deep Contour | | | | |
| Upper Thoracic | JAY030021 | 460 mm | | 795 |
| WHT030415 | Whitmyer Headrest, COBRA XTRA, flip back only with JAY J3 backs | | | 325 |
| WHT030416 | Whitmyer Headrest, AXYS, Standard only with JAY J3 backs | | | 325 |

Armrests & Sideguards

£

| Armrest Not in combination with 4° camber. | | |
|------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------|-----|
| QSC040052 | Single-post sideguard, armpad (330 mm), depth adjustable, tool height-adjustable, removable | 0 |
| | Single post height adjustable armrest | |
| QSC040050 | Single-post sideguard, armpad (250 mm), height-adjustable, removable | 180 |
| QSC040051 | Single-post sideguard, armpad (360 mm), height-adjustable, removable | 180 |
| Desk Sideguard | | |
| Not in combination with 4° camber. | | |
| Combination of Half-folding backrest (QSC030101 and QSC030031) and desk sideguard only possible for backrest heights above 400 mm. | | |
| QSC040005 | Desk sideguard, flip-up, removable | 150 |
| QSC040144 | Armpad for hemiplegic XL (length: 540 mm, width: 135 mm), left | 150 |
| QSC040145 | Armpad for hemiplegic XL (length: 540 mm, width: 135 mm), right | 150 |
| QSC040146 | Armpad for hemiplegic (length: 460 mm, width: 105 mm), left | 150 |
| QSC040147 | Armpad for hemiplegic (length: 460 mm, width: 105 mm), right | 150 |
| QSC040001 | Desk sideguard, armpad (250 mm), fixed, flip-up, removable | 150 |
| QSC040144 | Armpad for hemiplegic XL (length: 540 mm, width: 135 mm), left | 150 |
| QSC040145 | Armpad for hemiplegic XL (length: 540 mm, width: 135 mm), right | 150 |
| QSC040146 | Armpad for hemiplegic (length: 460 mm, width: 105 mm), left | 150 |
| QSC040147 | Armpad for hemiplegic (length: 460 mm, width: 105 mm), right | 150 |
| QSC040003 | Desk sideguard, armpad (310 mm), fixed, flip-up, removable | 150 |
| QSC040144 | Armpad for hemiplegic XL (length: 540 mm, width: 135 mm), left | 150 |
| QSC040145 | Armpad for hemiplegic XL (length: 540 mm, width: 135 mm), right | 150 |
| QSC040146 | Armpad for hemiplegic (length: 460 mm, width: 105 mm), left | 150 |
| QSC040147 | Armpad for hemiplegic (length: 460 mm, width: 105 mm), right | 150 |
| QSC040002 | Desk sideguard, armpad (250 mm), height-adjustable, flip-up, removable | 150 |
| QSC040004 | Desk sideguard, armpad (310 mm), height-adjustable, flip-up, removable | 150 |
| QSC040117 | Tubular armrest. Alu, swing away, padded, removable can be combined with sideguards QSC040102 /3 / 4 /7 | 160 |
| Sideguards | | |
| QSC040107 | Sideguard, composite, removable, 210 mm high (310 mm long), black | 0 |
| QSC040102 | Sideguard, aluminium , cold weather protection (in frame colour) (width between sideguards is SW +20 mm) | 95 |
| QSC040103 | Sideguard, aluminium , fender, cold weather protection (in frame colour) (width between sideguards is SW +20 mm) | 150 |
| QSC040104 | Sideguard, carbon fibre, fender, cold weather protection (black) (width between sideguards is SW +20 mm) | 250 |
| Trays | | |
| Slide on tray | | |
| QSC090011 | Tray, push-fit only for SW 380 mm to 480 mm, only in combination with Desk sideguard QSC040004 or Single post sideguard, armpad QSC040052 | 170 |
| QSC90046 | Half side Tray, swing away only in combination with Desk sideguard QSC040004 | 170 |
| | assembly left | |
| | assembly right | |
| Swing away tray | | |
| only in combination with Desk sideguard QSC040004 or Single post sideguard, armpad QSC040052 | | |
| QSC090012 | Tray, swing-away (to the side), SW 340 - 600 mm, left-mount | 170 |
| QSC090013 | Tray, swing-away (to the side), SW 340 -600 mm, right-mount | 170 |

| Frame | | £ |
|-----------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---|
| QSC010010 | Frame FF 75° (integrated footrest) (EU: 105°) not in combination with QSC080101 Expansion kit, designed for hemiplegic users and the Hemi front seat-heights indicated on page 1 | 0 |
| QSC010011 | Frame FF 85° (integrated footrest) (EU: 95°) not in combination with QSC080101 Expansion kit, designed for hemiplegic users and the Hemi front seat-heights indicated on page 1 | 0 |
| QSC010016 | Frame FF 85° (integrated footrest), inset (20 mm on each side), active (EU: 95°) not in combination with QSC080101 Expansion kit, designed for hemiplegic users and the Hemi front seat-heights indicated on page 1 | 0 |
| QSC010015 | Frame SA (removable footrest) | 0 |
| QSC090102 | With crash test option ISO 7176-19:2022 approved as seat in a vehicle | 0 |

| Centre of Gravity (COG) measured from front of back post; choose only one option | | £ |
|----------------------------------------------------------------------------------|-------------------------|---|
| COG25 | Centre of gravity 25 mm | 0 |
| COG40 | Centre of gravity 40 mm | 0 |
| COG50 | Centre of gravity 50 mm | 0 |
| COG60 | Centre of gravity 60 mm | 0 |
| COG75 | Centre of gravity 75 mm | 0 |

| Frame Accessories | | £ |
|---------------------------------------------------|---------------------------------------------------------------------------------------------------|-----|
| QSC090010 | Transit wheels Not with crutch holder, tip assist and anti tip | 235 |
| Tip assist (step tube) & Crutch holder | | |
| QSC090001 | Tip assist, left | 35 |
| QSC090002 | Tip assist, right | 35 |
| QSC090003 | Tip assist, pair not in combination with anti-tip | 70 |
| QSC090009 | Crutch holder, loop only in combination with tip assist | 80 |
| Anti-tip tubes, swing-away | | |
| QSC090004 | Anti-tip tubes, swing-away, left | 125 |
| QSC090005 | Anti-tip tubes, swing-away, right | 125 |
| QSC090006 | Anti-tip tubes, swing-away, pair not in combination with tip-assist | 195 |
| QSC090036 | Anti-tip tubes, aluminium, lightweight, swing-away (forwards), pair not with tip assist | 90 |
| QSC110156 | Twin LED Light | 150 |
| QSC010056 | Auto folding fixation the Fold-N-Lock mechanism keeps the wheelchair locked in folded position | 0 |
| QSC010057 | Touch points ergonomic rubber cover on the front frame tubes, only for FF frames | 0 |

| Hangers & Footplates | | £ | |
|-------------------------|-------------------------------------|---------------------------------------------|---|
| Aluminium hanger | | | |
| QSC050002 | Hanger angle 70° (EU: 110°) | 0 | |
| QSC050001 | Hanger angle 80° (EU: 100°) | 0 | |
| QSC050041 | Hanger angle 90° (EU: 90°) | 0 | |
| QSC050006 | Hanger, aluminium, swing-away, LH | QSC050007 Hanger, aluminium, swing-away, RH | 0 |
| pick both | Hanger, aluminium, swing-away, Pair | 0 | |
| Composite hanger | | | |
| QSC050002 | Hanger angle 70° (EU: 110°) | 0 | |
| QSC050001 | Hanger angle 80° (EU: 100°) | 0 | |
| QSC050003 | Hanger, composite, swing-away, LH | QSC050004 Hanger, composite, swing-away, RH | 0 |
| pick both | Hanger, composite, swing-away, Pair | 0 | |

| Elevating Legrest (ELR) | | |
|--------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| QSC050009 | Hanger, aluminium, flip-up (0° - 90°), swing-away, LH only in combination with footboard divided, aluminium or composite | 155 |
| QSC050010 | Hanger, aluminium, flip-up (0° - 90°), swing-away, RH only in combination with footboard divided, aluminium or composite | 155 |
| pick both | Hanger, aluminium, flip-up (0° - 90°), swing-away, Pair only from SW 38, only in combination with footboard divided, aluminium or composite | |

| Amputee Support Pad | | |
|----------------------------|------------------------|-----|
| QSC050014 | Amputee support, left | 155 |
| QSC050013 | Amputee support, right | 155 |
| QSC050012 | Amputee support, pair | 310 |

| Footplate | | |
|------------------|----------------------------------------------------------------------------------------------------------------------|-----|
| QSC050020 | Footboard, divided, composite, angle-adjustable, flip-up (sideways), heel loop, black | 0 |
| QSC050050 | Footboard, divided, aluminum, angle-adjustable, flip-up (sideways), heel loop, black from LLL 360 mm | 150 |
| QSC050102 | Footboard, platform, aluminum, angle-adjustable, flip-up (sideways), heel loop, black not in combination with ELR | 150 |
| QSC050126 | Swing-away mechanism for platform footboard from LLL 380 mm | 100 |
| QSC050062 | Locking system, platform footplate, aluminium | 75 |

| Platform footrest, angle adjustable only up to seat width 500 mm | | |
|----------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------|-----|
| QSC050131 | Footboard, platform, lightweight, composite, angle & depth-adj. flip up (sideways), calf strap, black not in combination with ELR | 150 |
| QSC050132 | Footboard, platform, lightweight, carbon fibre, angle & depth-adj. flip up (sideways), calf strap, black not in combination with ELR | 230 |
| QSC050127 | Adjustable side protection, to create a side-stop on the footboard only in combination with Platform footrest | 25 |

| Autofolding only up to seat width 500 mm | | |
|----------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| QSC050028 | Footboard, platform, lightweight, composite, auto-folding, angle & depth-adj., calf strap, black not in combination with ELR and SA frame | 300 |
| QSC050027 | Footboard, platform, lightweight, carbon fibre, auto-folding, angle & depth-adj., calf strap, black not in combination with ELR and SA frame | 460 |

| Lower Leg Length LLL in mm, Attention: LLL has to be 30 mm lower than seat height front | | | | | | | | | | |
|------------------------------------------------------------------------------------------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| 340 | 350 | 360 | 370 | 380 | 390 | 400 | 410 | 420 | 430 | 440 |
| 450 | 460 | 470 | 480 | 490 | 500 | | | | | |

| Fork compare with your choice on the first page | | | | | | | | | | £ | |
|--------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------|-----|------|--|--|--|--|--|-----|--|
| QSC080029 | Castor fork, Aluminium, black (anodized) | | | | | | | | | 0 | |
| | QSC080042 | Colour Cast. Fork Silver (anodized) | | | | | | | | | |
| QSC080064 | Castor fork Aluminium Powder coated | | | | | | | | | 0 | |
| | Colour Cast. Fork Red Ruby (21) | | | | | | | | | | |
| | Colour Cast. Fork Marsred (37) | | | | | | | | | | |
| | Colour Cast. Fork White (32) | | | | | | | | | | |
| | Colour Cast. Matt Marine (16) | | | | | | | | | | |
| QSC080008 | Castor fork, aluminium, one-arm. Standard colour: black | | | | | | | | | 215 | |
| | Orange | Silver | Red | Blue | | | | | | | |
| QSC080101 | Expansion kit, designed for hemiplegic users Lower and wider caster-links to achieve lower seat heights; not with 7" casters; SA frame only | | | | | | | | | 135 | |

Castor compare with your choice on the first page £

| | | |
|-----------|-------------------------------------------------------------------------|---|
| QSC080301 | Castor, solid (hard), rim: composite, black | 0 |
| QSC080302 | Castor, solid (soft), rim: composite, black only for 5" & 6" castors | 0 |
| QSC080305 | Castor, pneumatic, rim: composite, black only for 5" & 6" castors | 0 |

Castor with aluminium rim

| | | | | | |
|-----------|--------------------------------------------------------------------------|-------|--------|-----|------|
| QSC080304 | Castor, solid (hard), rim: aluminium only for 4" & 5" castors | 50 | | | |
| QSC080306 | Castor, solid (soft), rim: aluminium, silver only for 4" & 5" castors | 50 | | | |
| | Colour rim: | Black | Orange | Red | Blue |

Rear Wheels compare with your choice on the first page £

| | | |
|-----------|------------------------------------------------------------------------------------------------------|-----|
| QSC070000 | Without rear wheel | 0 |
| QSC070001 | Rear wheel, Universal, 36 spokes (silver), cross-wise spokes not in 25" | 0 |
| QSC070002 | Rear wheel, Design, 36 spokes (silver), straight spokes only 24" | 0 |
| QSC070003 | Rear wheel, Lightweight, 24 spokes (silver), straight spokes not in 26", max. user weight: 125 kg | 90 |
| QSC070004 | Rear wheel, Proton, 24 spokes (black), straight spokes not in 26", max. user weight: 100 kg | 250 |
| QSC070005 | Rear wheel, Spinergy, 18 spokes (black), straight spokes; hub: silver only 24"/25" | 495 |
| QSC070007 | Rear wheel, Spinergy, 12 spokes (black), straight spokes, hub: black only 24"/25" | 595 |
| QSC070008 | Rear wheel, drum brakes, 36 spokes (silver), cross-wise spokes only 22"/24" | 425 |
| QSC070009 | Rear wheel, Mountainbike, 36 spokes (silver), straight spokes only 24" | 360 |

One-hand operation

| | | |
|-----------|--------------------------------------------------------------------------|-----|
| QSC070401 | Rear wheel, one-hand operation, 36 spokes, cross-spoked, left actuation | 800 |
| QSC070402 | Rear wheel, one-hand operation, 36 spokes, cross-spoked, right actuation | 800 |

Tyres choose only one tyre type £

| | | |
|-----------|-------------------------------------------------------------------------------------------------------------------|----|
| QSC070101 | Tyre, pneumatic, fine profile, Schwalbe Right Run not with 25" | 0 |
| QSC070102 | Tyre, puncture proof, tread only 24"/25" | 0 |
| QSC070107 | Tyre, pneumatic, slick, Schwalbe One not with 26" | 50 |
| QSC070104 | Tyre, pneumatic, puncture proof, tread, Schwalbe Marathon Plus Evolution not with 22" | 95 |
| QSC090163 | Spares-kit: 1 extra tyre (same as on the chair) and 1 extra inner tube not with QSC070102 tyre, puncture proof | 95 |

Handrims £

| | | |
|-----------|---------------------------------------------------------------------------------------|-----|
| QSC070202 | Handrims, aluminium, anodised, silver | 0 |
| QSC070201 | Handrims, aluminium, powder-coated, clear | 0 |
| QSC070203 | Handrims, aluminium, powder-coated, coloured | 0 |
| QSC070204 | Handrims, stainless steel, silver | 100 |
| QSC070207 | Handrims, Supergrip® 22" only with universal rear wheel and drum brake wheels | 250 |
| QSC070208 | Handrims, Maxgrepp® only 22"/24" | 350 |
| QSC070212 | Handrims, Ellipse 3R, black ergonomic handrims with rubber-strip, 24" and 25" only | 125 |
| QSC070200 | Without handrims | 0 |

Handrim mounting

| | | |
|-----------|---------------------------------------------------------------------|---|
| QSC070307 | Handrim mount, super narrow (7 mm) only with 24" stainless steel | 0 |
| QSC070317 | Handrim mount, narrow (17 mm) | 0 |
| QSC070327 | Handrim mount, wide (27 mm) not with Maxgrepp | 0 |

Handrim cover

| | | |
|-----------|--------------------------------------------------------------------------|-----|
| QSC070251 | Handrim cover, Silicon not with 25"/26", Supergrip, Maxgrepp, Ellipse | 110 |
|-----------|--------------------------------------------------------------------------|-----|

Wheel Camber

| | | |
|-----------|----|---|
| QSC070600 | 0° | 0 |
| QSC070602 | 2° | 0 |
| QSC070604 | 4° | 0 |

Spoke Guards not with spinergy wheels, not with 25", not with mountainbike wheel £

| | | | |
|-----------|-----------------------------|------------------------|----------------------------|
| QSC070831 | Transparent not with 25" | | 150 |
| QSC070822 | Pool | QSC070820 Oriental | 150 |
| QSC070811 | Feather | QSC070817 Hot Wheels | QSC070802 Basketball 150 |
| QSC070814 | Graffiti | QSC070806 Chrome | QSC070827 Silk 150 |
| QSC070828 | Space | QSC070812 Flying Water | QSC070803 Basketball 2 150 |

not with 25" and 26"

Wheel Locks choose only one option £

| | | |
|-----------|--------------------------------------------------------------|-----|
| QSC060001 | Standard brake | 0 |
| QSC060002 | Knee-lever brake | 95 |
| | QSC060010 Brake lever extension, knee-lever brake, fold-down | 50 |
| QSC060023 | Compact brake EVO | 65 |
| QSC060015 | Push to lock brake, one-arm, left actuation | 200 |
| QSC060016 | Push to lock brake, one-arm, right actuation | 200 |

Accessories £

| | | |
|-----------|---------------------------------|----|
| QSC090000 | Tool kit | 0 |
| QSC090025 | Air pump | 20 |
| QSC090024 | High pressure pump (0 - 11 bar) | 90 |
| QSC090030 | Back pack | 75 |
| QSC090026 | Mobile phone pocket | 55 |

Frame Colours Handrim: only with handrim colour powder coated; Hub/rim: only for universal wheel 22" or 24"

| | Frame | Handrim | Hub / Rim | | Frame | Handrim | Hub / Rim |
|---------------------|-------|---------|-----------|------------------------|-------|---------|-----------|
| 03 Silver Matt | | | | 27 Graphitemetallic | | | |
| 15 Brillant Marine | | | | 29 Black | | | |
| 16 Matt Marine | | | | 31 Matt Black | | | |
| 19 Brillant Purple | | | | 32 Signal White | | | |
| 22 Brillant Red | | | | 02 Brilliant Silver | | | |
| 23 Matt Red | | | | 06 Sun Yellow | | | |
| 34 Dark Chocolate | | | | 14 Blue | | | |
| 35 Skyblue | | | | 21 Red Ruby | | | |
| 36 Cyan-Metallic | | | | 24 Tutti Frutti Orange | | | |
| 37 Marsred (Orange) | | | | 33 Pink | | | |
| 40 Kiwi | | | | 42 Matt Anthracite | | | |
| 41 Flamingo-Glitter | | | | | 0 | 75 | 200 |
| 46 Mamba Green | | | | | | | |
| | 0 | 75 | 200 | | | | |

Sticker Colours £

| | | |
|-----------|--------|---|
| QSC100550 | Black | 0 |
| QSC100551 | Silver | 0 |
| QSC100552 | Orange | 0 |
| QSC100553 | Red | 0 |
| QSC100554 | Blue | 0 |


Cross brace and Footboard Colours £

| | | |
|-----------|-----------------------------------------------------------------------------------------|---|
| QSC100587 | Cross brace in frame colour | 0 |
| QSC100588 | Footboard alu in frame colour only with aluminium footboards QSC050050 and QSC050102 | 0 |

24 " Light Weight Wheel Colours Hub and rim £

| | | |
|-----------|------------------|---|
| | Black | 0 |
| QSC100336 | Anodized, orange | 0 |
| QSC100337 | Anodized, blue | 0 |
| QSC100338 | Anodized, red | 0 |

Comments



Quickie QS5 X £

| | |
|-------------------------|------------------|
| Base Price | 00,000.00 |
| Option Price | |
| Packaging And Transport | |
| Exclusive VAT | |
| VAT | |
| Total Price | |

Date | **Signature**

Day Month Year



Sunrise Medical UK

Thornd Road, Brierley Hill
 DY5 2LD
 Phone: 0845 605 6688
 E-Mail: enquiries@sunmed.co.uk
 www.SunriseMedical.co.uk

Please follow this measuring method:

The following method is recommended on the basis of extensive practical experience. Deviations are possible in individual instances.

Seat width (SW):

- a) For the user: Allow space between sideguard and hip on each side of the chair (approx. 10 - 20 mm altogether).
- b) On the wheelchair: From outside frame tube to outside frame tube.

Seat depth (SD):

- a) For the user: When sitting upright: leave space for 2 - 3 fingers between front edge of the seat upholstery and back of knee (approx. 30 - 60 mm). Care must be taken with adjustable upholstery.
- b) On the wheelchair: From back tube to front of seat upholstery.

Front seat height:

- a) For the user: When sitting with 90° kneeangle: From back of knee to bottom of shoe sole.
- b) On the wheelchair: From front edge of the seat-upholstry, next to the seat-tube to the ground (min. 30 mm longer than user measurement). Remember to include the cushion height.

Rear seat height:

On the wheelchair: From rear edge of the seat-upholstery, next to the seat-tube to the ground.

Note: Maximum seat height difference rear to front is 110 mm.

Back height:

- a) For the user: From the seat, including cushion, to be no more than 10 - 20 mm below the lower shoulder blade.
- b) On the wheelchair: From top of the seat-upholstery to upper edge of backrest upholstery.

Note: The user's ability to sit upright has a major influence on the back height and it can therefore differ considerably.

Back angle:

Backrest-angle is measured in relation to the seat. 90°= perpendicular to the seat.

Technical Data

| | | | | |
|------------------------------------------------|--------------------------------|---------------------------------|-----------------------|-----------------------|
| Max. overall height: | 1020 mm | Max. overall width with: | 24" Rear wheel | 25" Rear wheel |
| Max. overall length: | 1113 mm | For 0° camber: | SW + 180 mm | SW + 180 mm |
| Max turning circle: | 1512 mm | For 2° camber: | SW + 230 mm | SW + 240 mm |
| Overall weight: | from 10,1 kg (SA); 9,9 kg (FF) | For 4° camber: | SW + 260 mm | SW + 270 mm |
| Weight of heaviest detachable part: | 2,2 kg | | | |
| Transport weight (without rear wheels): | from 7,5 kg (SA); 7,3 kg (FF) | | | |
| Max. safe slope (with wheels locked): | 10° (7°) | | | |


Please note that options such as i.e. armrest-sideguards or drum brakes can increase the overall width of the wheelchair.

Please note that in certain configurations the wheelchair may exceed a width of 700 mm. If this is the case, under certain circumstances, it may not be possible to use some or all of the available escape routes from a building. It may be more difficult or impossible to travel on public transport.

This product has been crash-tested according to ISO 7176-19:2022 and is allowed as seat in a vehicle if the option QSC090102 is chosen.

Manufacturing tolerances can be +/- 10 mm on all configurations

Seat Upholsteries & Cushions



// QSC020101-QSC020102
Seat cushion, cover with zipper, black



// QSC090018
Lap belt with buckle, metal



// JAY020002
JAY Basic (pictured without cover)



// JAY020001
JAY Easy Visco (pictured without cover)



// JAY020007
JAY Easy Fluid (pictured without cover)



// JAY020004
JAY Lite (pictured without cover)

JAY J3 Backs more JAY products available on separate JAY order forms



150/180 mm



// JAY J3 Back
Mid Deep Contour



150 mm



// JAY J3 Back
Deep Contour

Backrest



// QSC030012
Angle adjustable back



// QSC030031
Backrest, fold down (to the front)



// QSC030316
EXO backrest sling (EXO Evo version)



// QSC030317
EXO PRO backrest sling (EXO Evo version)



// QSC030201
Push handles, Medium



// QSC030231
Push handles, Long



// QSC030203
Fold down push handles

// Matrix of Backrest, fold-down (to the front) with Standard Push handle

| | | Back height | | | | | | |
|------------|-----|-------------|-----|-----|-----|-----|-----|-----|
| | | 350 | 375 | 400 | 425 | 450 | 475 | 500 |
| Seat width | 340 | | | | | | | |
| | 360 | | | | | | | |
| | 380 | | | | | | | |
| | 400 | | | | | | | |
| | 420 | | | | | | | |
| | 440 | | | | | | | |
| | 460 | | | | | | | |
| | 480 | | | | | | | |
| | 500 | | | | | | | |
| | 520 | | | | | | | |
| 540 | | | | | | | | |

- folds 90° to the front on folded chair
- can't be folded full 90° to the front on folded chair in combination with fold-down pushhandles
- can't be folded full 90° to the front on folded chair

// Matrix of Backrest, half-folding (to the back) with Fold Down Push handle

| | | Back height | | | | | | |
|------------|-----|-------------|-----|-----|-----|-----|-----|-----|
| | | 350 | 375 | 400 | 425 | 450 | 475 | 500 |
| Seat width | 340 | | | | | | | |
| | 360 | | | | | | | |
| | 380 | | | | | | | |
| | 400 | | | | | | | |
| | 420 | | | | | | | |
| | 440 | | | | | | | |
| | 460 | | | | | | | |
| | 480 | | | | | | | |
| | 500 | | | | | | | |
| | 520 | | | | | | | |
| 540 | | | | | | | | |

Sideguard & Armrest



// QSC040050-QSC040051
Single post height adjustable armrest



// QSC040052
Single-post sideguard, depth adjustable, tool height-adjustable



// QSC040107
Sideguard composite detachable



// QSC040104
Sideguard carbon with fender



// QSC040103
Sideguard alu with fender



// QSC040002
Desk armrest, height adjustable, short armpad (250 mm)



// QSC040001
Desk armrest, fixed height, short armpad (250 mm)



Desk armrest without armpad


Frame



// QSC010015 QS5 X SA




// QSC010011 QS5 X FF 85°



// QSC010010 QS5X FF 75°



// QSC010016 Frame FF 85° (integrated footrest), inset (20 mm on each side), active



// QSC090102
Crash test Option

Frame Accessories



// QSC090010
Transit wheels



// QSC090001-QSC090003
Tip assist



// QSC090009
Crutch holder



// QSC090004-QSC090006
Anti-tip swing away



// QSC050041
Aluminum hanger, 90°



// QSC050002-QSC050001
Composite hanger 70°/80°



// QSC050009-QSC050010
Elevating legrest



// QSC050012-QSC050014
Amputee Support Pad



// QSC050131
Platform footplate lightweight angle & depth adjustable composite flip up



// QSC050132
Footboard platform, lightweight, carbon fibre, auto folding




// QSC050020
Divided footplate composite



// QSC050050
Divided footplate aluminum



// QSC050102
Platform, angle and depth adjustable; flip up, aluminium with locking system



// QSC110156
Twin LED Light

Forks



// QSC080064 Castor fork
Aluminium Powder coated



// QSC080101 Expansion kit, designed for hemiplegic users

Rear Wheels



// QSC070001
Universal cross-spoked



// QSC070002
Design wheel



// QSC070003
Lightweight wheel



// QSC07005
Spinergy wheel, 18 spokes



// QSC070008
Drum brake wheel



// QSC070401-2
Rear wheel, one-hand operation, 36 spokes, cross-spoked


24 " Light Weight Wheel Colours



// QSC100336
Lightweight wheel, anodized orange



// QSC100337
Lightweight wheel, anodized blue




// QSC100338
Lightweight wheel, anodized red

Tyres & Handrims




// QSC070101
Right Run Tyre




// QSC070107
Solid Tyre




// QSC070104
Marathon Plus Evolution



// QSC070207
Supergrip



// QSC070208
Max Grepp




// QSC070212
Ellipse 3R Handrim


Wheel Locks



// QSC060002
Knee lever wheel lock



// QSC060010
Brake lever extension



// QSC060023
Compact brake EVO



// QSC060001
Standard brake

Accessories




// QSC090030
Back pack



// QSC090024
High pressure pump



// QSC090025
Air pump



// QSC090026
Mobile phone pocket