



SANGO Advanced with SEGO junior

Version: 2

Valid from: 01/01/2024

Valid until: new version or latest 31/12/2024

Type: Order Quote

Date:

Standard configuration includes the following options:

- Front, rear or mid wheel drive chassis choice
- 6 km/h high torque 4 pole motors
- 60Ah batteries
- 8A charger
- 14" drive wheels and 8" castors, air
- Manual, tool adjustable backrest recline
- Manual, tool adjustable seat tilt
- VR2 drive only joystick, fixed joystick bracket
- 90A power module
- 41cm seat to floor height, tool adjustable
- No seat cushion
- No backrest cushion
- Swingaway legrests with calfstrap
- Angle adjustable footplates
- Detachable armrests with PU armpads
- Lapbelt

Dealer Name:

Client Reference:

Purchase Order:

Email:

Delivery Address:

Estimated total chair cost based on the below selections:

*Options with POA require a formal quote before ordering

DRIVE BASE		£
1000101	SANGO advanced	6,495
Drive Type		
6000001	Front Wheel Drive (FWD)	0
6000002	Rear Wheel Drive (RWD)	0
6000003	Mid Wheel Drive (MWD) 6 Wheel	0
6000327	Mid Wheel Drive (MWD) 5 Wheel	0
Maximum Speed		
6000005	6 km/h HT motor	STD
6000007	10 km/h HT motor	(FWD: R-net Gyro module mandatory) 435
6000008	12.5 km/h HT motor	(Only with R-net, 120A power module recommended) 545 (Not for FWD)(Not with 10" solid tyres)
Frame Colour		
6000010	Red metallic, glossy	0
6000011	Blue, matte	0
6000012	Gold, matte	0
6000383	Black, glossy	0
6000440	White, glossy	0
6000013	Different frame colour	(Specify RAL colour code required) 495
	Different shroud colour	(Specify RAL colour code required) POA
	Hydro-dipped shroud pattern	(Detail Hydro-dipped pattern required in notes section) POA



Batteries & Charger			
6000015	Batteries 60Ah		STD
6000016	Batteries 78Ah	(No increase in seat to floor height)(Not with DAHL preperation)	185
6000295	Batteries 100Ah	(No increase in seat to floor height)(Not with DAHL preperation)	515
6000017	Charger 24V - 8A		STD
6000018	Charger 24V - 12A		245
WHEELS			£
Wheel Size			
6000019	12" drive wheels with 8" castors	FWD/RWD	0
6000020	14" drive wheels with 9" castors	FWD/RWD	0
6000021	14" drive wheels with 10" castors	FWD/RWD	(Seat height +2.5cm) 85
6000022	12" drive wheels with 7" castors	MWD	0
6000023	14" drive wheels with 8" castors	MWD	0
6000445	16" drive wheels with 10" castors	FWD/RWD	(Seat height +2.5cm) 395
6000292	16" drive wheels with 9" and 8" castors	MWD	(Seat height +2.5cm) 455
Wheel / Tyre type			
6000024	Castor wheels, air	FWD/RWD	STD
6000025	Castor and support wheels, air	MWD	(7" always solid) 0
6000026	Castor wheels, solid	FWD/RWD	(10" not with 12.5 km/h) 0
6000027	Castor and support wheels, solid	MWD	0
6000028	Drive wheels, air		STD
6000029	Drive wheels, solid		0
6000450	8" suspended castor forks		(MWD only) 435
6000278	9" suspended castor forks		435
6000479	Powered castor lock		(Not for rear castors on MWD) 635
6000480	Sprung loaded anti tip wheels		(Not for MWD) 285
6000539	Protector wheels, pair 125mm		185
Tyres			
6000030	Black		STD
6000031	Grey		0
Mudguards			
6000032	Mudguards for 9" castor wheels	(Not with suspended castor forks)(Request special for 10" castors)	95
6000033	Mudguards for drive wheels wheels		115
6000535	Mudguards for 16" drive wheels		245
LIGHTING & POWERED OPTIONS			£
Lighting		Lights must be selected if 10 km/h or 12.5 km/h motors are chosen	
6000040	LED lights and indicators		395
Seat adjustments			
6000034	Powered backrest recline 30° (120°)	(1 actuator)	525
6000257	Powered backrest recline 45° (135°)	(1 actuator)	655
6000035	Powered seat tilt 45°	(No increase in seat to floor height)(1 actuator)	1,325
6000242	Powered seat tilt 52°	(No increase in seat to floor height)(1 actuator)	1,885
6000036	Powered seat lift 30cm and seat tilt 45°	(1cm increase in seat to floor height)(2 actuators)	2,095
6000243	Powered seat lift 30cm and seat tilt 52°	(1cm increase in seat to floor height)(2 actuators)	2,655
Centre mount legrest (including calf supports)			
6000038	Powered centre mount legrest, built in length compensation		1,425
		(Restrictions for RWD)(Angle adjustable footplate)(1 actuator)	
6000460	Width adjustable footplate, small (19-26cm)	(Replaces standrad centre mount footplate)	345
6000462	Foot fixation belts	(only for width adjustable footplate)	75
6000415	Footplate foam layer	(5mm high density foam / cellular rubber)(Standard centre mount footplate only)	55
	Powered flip up footplate for centre mount legrest		POA

Swingaway legrests (including calf supports)			
6000037	Powered articulating legrests	(6°-70°, angle adjustable footplates and PU calf plates)(2 actuators)	1,025
6000136	Kneepad, right		65
6000137	Kneepad, left		65
	Single footplate for individual legrests		POA
CONTROLS			£
VR2 System		Maximum 2 actuators	
Joystick modules			
6000045	VR2 Drive only		STD
6000046	VR2 Lights		95
6000047	VR2 Seats & lights		165
Mounting of the joystick module			
6000041	Fixed bracket, right		STD
6000042	Fixed bracket, left		0
6000043	Swingaway bracket, right		85
6000044	Swingaway bracket, left		85
6000625	Mounting of the joystick module, swing-away bracket, right		185
6000626	Mounting of the joystick module, swing-away bracket, left		185
6000549	Mounting of the joystick module, drop-down bracket, right		375
6000550	Mounting of the joystick module, drop-down bracket, left		375
	Powered swingaway joystick mount		POA
Power Module			
6000049	90A Power module		STD
Attendant control			
6000050	VR2 + attendant control, right	(Also choose required joystick module above)	435
6000051	VR2 + attendant control, left	(Also choose required joystick module above)	435
R-net System		An R-net joystick must be chosen if not selecting VR2	
Joystick modules		(All LED and LCD joystick modules below can operate 6 actuators and lights)	
6000052	R-net LED	(If no power module is selected, 90A will be chosen)	525
6000053	R-net LCD-1	(CJSM1)(2 jack sockets)	665
6000055	R-net LCD-2, infra-red	(CJSM2)(2 jack sockets)	825
6000057	R-net LCD-2, infra-red and bluetooth	(CJSM2)(2 jack sockets)	1,025
6000434	R-net LCD-1, tray control	(CJSM1)	1,985
6000056	HD kit for R-net LCD-2		1,045
Mounting of the joystick module			
6000041	Fixed bracket, right		0
6000042	Fixed bracket, left		0
6000043	Swingaway bracket, right		85
6000044	Swingaway bracket, left		85
6000163	Tray control bracket mounting, right		0
6000164	Tray control bracket mounting, left		0
6000625	Mounting of the joystick module, swing-away bracket, right		185
6000626	Mounting of the joystick module, swing-away bracket, left		185
6000549	Mounting of the joystick module, drop-down bracket, right		375
6000550	Mounting of the joystick module, drop-down bracket, left		375
	Powered swingaway joystick mount		POA
Power Modules			
6000060	90A Power module		STD
6000061	120A Power module		245
6000062	DAC box, direct actuator control, button, jack plug	(Only with R-net LCD joystick modules)	455
6000362	DAC box, direct actuator control, toggle, jack plug	(Only with R-net LCD joystick modules)	455
6000629	Mounting of the DAC box, with the joystick module		0
6000630	Mounting of the DAC box, with Scootcontrol		0
6000063	Gyro module		395

Attendant control			
6000067	R-net + attendant control, right	(Also choose required joystick module above)	435
6000068	R-net + attendant control, left	(Also choose required joystick module above)	435
6000384	R-net Scootcontrol attendant steer (as part of dual control system)		2,995
	R-net Scootcontrol attendant steer (as part attendant only system)		2,995
	(Also choose 6000062 or 6000362 DAC box)(Also choose 6000392 external joystick socket)		
	R-net Scootcontrol attendant steer mounted on headrest bracket	(Height adjustable)	
6000230	R-net joystick module mounted as attendant control, right	(Mounted on backrest frame)	85
6000231	R-net joystick module mounted as attendant control, left	(Mounted on backrest frame)	85
Other R-net options			
Joystick knobs			
6000074	Mushroom knob		75
6000075	Ball mini, \varnothing 32mm		75
6000416	Golf ball, \varnothing 43mm		75
6000387	Foam ball, \varnothing 45mm		75
6000076	Soft foam ball, \varnothing 70mm		75
6000077	Stick joystick		75
6000078	T-grip		75
6000443	U-grip, vertical, small	(6cm wide)	95
6000079	U-grip, vertical, large	(10.5cm wide)	95
6000444	U-grip, horizontal, small	(8cm wide)	95
6000080	U-grip, horizontal, large	(10cm wide)	95
6000478	Dual USB charger, 2 x 2.5A		295
6000392	External charging socket	(Included when selecting tray control)	215
6000393	System locking plug	(Anti-theft)	65
SEATS			£
Seat height		(Top of seat frame to floor in cm with 14" drive wheels and 0° tilt)	
		(1.25cm reduction with 12" drive wheels)(1cm increase with lift/tilt)	
6000085	39cm		0
6000086	41cm		STD
6000087	42cm		0
6000324	43cm		0
6000088	44cm		0
6000325	45cm		0
6000089	46cm		0
6000090	48cm		0
Seat cushion size			
6000286	Width 32cm		STD
6000287	Width 37cm		0
6000340	Depth 30cm		0
6000341	Depth 35cm		STD
6000342	Depth 40cm		0
6000467	9cm extra seat depth adjustment	(Also select 6000091)	115
		(3cm increase in seat height if combined with powered tilt or lift/tilt)	
6000091	Different seat cushion size	(Specify required sizes)	275
Seat cushion, integrated wooden base		Upholstery	
6000256	No seat cushion		(Seat frame only) STD
6000092	Contour	Vinyl	95
6000094	Contour, partially strapped	Air mesh	215
6000096	Anatomic formed	Air mesh	(partially strapped) 305
6000098	Anatomic formed visco	Air mesh	(partially memory foam & webbed) 355

Seat plate and boards		Upholstery		
6000101	Seat board	Vinyl		25
6000104	Threshold, front	Vinyl	(Upholstered, 5cm height)	50
6000105	Threshold, rear	Vinyl	(Upholstered, 5cm height)	50
6000106	Acrylic threshold, rear	Acrylic	(depth adjustable, 5cm height)	50
Alternative upholstery				
6000107	Air mesh instead of vinyl			95
6000108	Stretch rubber instead of air mesh			50
Alternative Seating				
	Recaro seating (specify Recaro seating type)			POA
Seat accessories				
6000110	Thigh support upholstered small, set		(22 x 11cm LxH)	445
BACKRESTS				£
Backrest cushion size				
6000343	Width 32cm			STD
6000344	Width 37cm			0
6000345	Height 30cm			0
6000346	Height 35cm			STD
6000347	Height 40cm			0
6000115	Different backrest cushion size		(Specify required sizes)	275
Backrest cushion type		Upholstery		
6000212	No backrest cushion		(Backrest frame only)	STD
6000116	Contour		Vinyl	105
6000117	Deep contour		Air mesh	(Width adj built in laterals) 145
6000118	Deep contour, vertical		Air mesh	(Vertical elastic straps & width adj built in laterals) 235
6000119	Deep contour, horizontal		Air mesh	(Horizontal tension adj straps & width adj built in laterals) 275
6000120	Deep contour, Flex		Air mesh	(Horizontal tension adj straps & width adj built in laterals) 365
Alternative upholstery				
6000123	Air mesh instead of vinyl			105
6000124	Stretch rubber instead of air mesh			65
Backrest accessories		Upholstery		
6000126	Thoracic support, adjustable, right		(Stealth 18 x 13 DxH)(Request extra link if with deep contour backrest)	375
6000127	Thoracic support, adjustable, left		(Stealth 18 x 13 DxH)(Request extra link if with deep contour backrest)	375
6000129	Folding backrest			185

MANUAL LEGRESTS		For powered legrests see Powered options and lighting section	£
6000361	No legrests		0
Centre mount legrest			
6000130	Centre mount legrest, angle and height adjustable	(Angle adjustment restricted for RWD)	105
Centre mount legrest accessories			
6000460	Width adjustable footplate, small (19-26cm)	(Replaces standard centre mount footplate)	345
6000462	Foot fixation belts	(only for width adjustable footplate)	75
6000415	Footplate foam layer	(5mm high density foam / cellular rubber)(Standard centre mount footplate only)	55
6000131	Calf supports		185
Swing away legrests			
6000289	Standard footrests, calf strap	(Angle adjustable footplates)	STD
Swing away legrests accessories			
6000136	Kneepad, right		65
6000137	Kneepad, left		65
	Single footplate for individual legrests		POA
ARMRESTS			£
Armrests			
6000376	Detachable	(Includes side shields)(Angle & height adjustable)	STD
6000545	Locking mechanism, up and down		POA
6000546	Locking mechanism, up and down position, left		POA
Armpads		Upholstery	
6000146	PU 34cm, right	PU	STD
6000147	PU 34cm, left	PU	STD
6000148	Upholstered, 30cm, right	Vinyl	75
6000149	Upholstered, 30cm, left	Vinyl	75
Alternative upholstery			
6000353	Air mesh instead of vinyl		75
HEADRESTS			£
Headrest metal bracket			
6000154	Height and depth adjustable		135
6000155	Height, depth and width adjustable		155
Headrest cushion		Upholstery	
6000157	PU small	PU	115
6000360	Padded butterfly shape, small	Vinyl	125
6000159	Padded flexible, small	Vinyl	155
Alternative upholstery			
6000354	Air mesh instead of vinyl		75
TRAYS			£
Acrylic tray			
6000161	Recess on joystick side	(Mounted on opposite side to the joystick module)	335
	Full tray, no recess		POA
Tray accessories			
6000166	Raised edge, acrylic, front		65
6000167	Raised edge, acrylic, right		65
6000168	Raised edge, acrylic, left		65

ACCESSORIES		£
6000339	Lapbelt, standard, 1.0m	STD
6000385	Backwards extended & higher bracket for lapbelt standard	55
6000386	Lapbelt, automatic roll-up, 1.35m, right	(Roll-up side) 195
6000394	Lapbelt, automatic roll-up, 1.35m, left	(Roll-up side) 195
For more positioning options see DIETZ Mobility UK - Bodypoint order form		
Mirror on right hand side must be selected if 10 km/h or 12.5 km/h motors are chosen		
6000298	Mirror on right hand side	65
6000172	Mirror on left hand side	65
6000174	Kerb climber	(Only with RWD)(Not with centre mount legrest) 265
6000176	Bag / backpack hooks	(Mounted on headrest bracket) 125
6000410	Bag/backpack bracket (2 hooks), on backrest tube	125
RD1.11	Phone holder, multi adjustable, armrest mounted	POA
RD2.11	Phone holder, multi adjustable, side rail mounted	POA
RD3.11	Phone holder, multi adjustable, tray mounted	POA
	Tablet mount, multi adjustable, side rail mounted (specify tablet type)	POA
6000489	Wheelchair cover	245
8000046	Hand warmer	(R-Net required) 1,215
8000047	Hand warmer dome, 2-hands hood	(R-Net required) 535
	Wireless stop	POA
	Red button stop, mounted on backrest frame	POA

BESPOKE OPTIONS / SPECIALS

Please add clear and detailed information for the bespoke option(s) required, referencing any additional pictures, drawings etc. that will be supplied with the order form

Click to insert pictures:

SPECIAL CONTROLS (R-net only)		£
Omni Module		
6000070	Mounted on fixed bracket, right	1,125
6000071	Mounted on fixed bracket, left	1,125
6000072	Mounted on swing-away bracket, right	1,205
6000073	Mounted on swing-away bracket, left	1,205
6000627	Mounting of the OMNI module display, swing-away bracket, long pin, right	185
6000628	Mounting of the OMNI module display, swing-away bracket, long pin, left	185
RD1.12	Fixed stem Omni mount, multi adjustable, armrest mounted	POA
RD2.12	Fixed stem Omni mount, multi adjustable, side rail mounted	POA
RD1.13	Flexi stem Omni mount, multi adjustable, armrest mounted	POA
RD2.13	Flexi stem Omni mount, multi adjustable, side rail mounted	POA
Special input devices		Operating Force
8000003	Micro joystick	(8.5 gram) 3,045
8000004	Multi joystick	(50 gram) 2,755
8000005	All-round Light joystick	(120 gram) 2,195
8000006	All-round Light joystick, chin	(includes 2 satellite switches and foam ball)(120 gram) 2,675
8000007	All-round joystick	(250 gram) 1,385
8000008	All-round joystick, chin	(includes 2 satellite switches and foam ball)(250 gram) 1,845
8000031	All-round heavy duty joystick	(650 gram) 2,975
	CoMoveIT, head and foot control	POA
Mounting of special input device		
8000009	On armrest, right	125
8000010	On armrest, left	125
8000011	In / on tray	(please specify dimensions and required mounting position in a detailed drawing) 955
Swing arms for chin control		
8000012	Manual horizontal, right	1,745
8000030	Manual horizontal, left	1,745
8000013	Powered horizontal, right	3,215
8000014	Powered horizontal, left	3,215
8000015	Powered vertical, right	3,215
8000016	Powered vertical, left	3,215

Switches		
6000081	∅17mm, red	185
6000082	∅17mm, green	185
6000490	∅17mm, yellow	185
6000491	∅17mm, blue	185
8000049	∅17mm, red, on GooseNeck	325
8000050	∅17mm, green, on GooseNeck	325
8000051	∅17mm, yellow, on GooseNeck	325
8000052	∅17mm, blue, on GooseNeck	325
6000083	∅30mm, red	215
6000084	∅30mm, green	215
6000492	∅30mm, yellow	215
6000493	∅30mm, blue	215
6000388	∅50mm, red	215
6000389	∅50mm, green	215
6000494	∅50mm, yellow	215
6000495	∅50mm, blue	215
6000496	∅63mm, red	215
6000497	∅63mm, green	215
6000498	∅63mm, yellow	215
6000499	∅63mm, blue	215
8000044	Micro light button	(10 gram) 325